Audit Review Table
Western Sky Community Care (Org ID: 395329, Sub ID: 14834, Medicaid, Spec Area: None, Spec Proj: None, Contract Number: None)

Measurement Year - 2020; Date & Timestamp - 06/07/2021 12:38 PM

This submission is on the stage: PlanLock					
Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment	
Effectiveness of Care					
Weight Assessment and Counseling for Nutrition and Physical					
Activity for Children/Adolescents (WCC)					
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - BMI percentile (Total)		60.34%	R	Reported	
•					
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Nutrition (Total)		45.99%	R	Reported	
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Physical Activity		43.31%	R	Reported	
(Total)		40.0170	18	reported	
Childhood Immunization Status (CIS)					
Childhood Immunization Status - DTaP		69.83%	R	Reported	
Childhood Immunization Status - IPV		87.1%	R	Reported	
Childhood Immunization Status - MMR		86.62%	R	Reported	
Childhood Immunization Status - HiB		86.62%	R	Reported	
Childhood Immunization Status - Hepatitis B		86.62%	R	Reported	
Childhood Immunization Status - VZV		85.89%	R	Reported	
Childhood Immunization Status - Pneumococcal Conjugate		72.26%	R	Reported	
Childhood Immunization Status - Hepatitis A		84.43%	R	Reported	
Childhood Immunization Status - Rotavirus		71.05%	R	Reported	
Childhood Immunization Status - Influenza		49.15%	R	Reported	
Childhood Immunization Status - Combo 2		65.69%	R	Reported	
Childhood Immunization Status - Combo 3		61.56%	R	Reported	
Childhood Immunization Status - Combo 4		60.83%	R	Reported	
Childhood Immunization Status - Combo 5		54.26%	R	Reported	
Childhood Immunization Status - Combo 6		39.9%	R	Reported	
Childhood Immunization Status - Combo 7		54.01%	R	Reported	
Childhood Immunization Status - Combo 8		39.9%	R	Reported	
Childhood Immunization Status - Combo 9		36.25%	R	Reported	
Childhood Immunization Status - Combo 10		36.25%	R	Reported	
Immunizations for Adolescents (IMA)					
Immunizations for Adolescents - Meningococcal		76.89%	R	Reported	
Immunizations for Adolescents - Tdap		77.62%	R	Reported	
Immunizations for Adolescents - HPV		28.22%	R	Reported	
Immunizations for Adolescents - Combination 1		76.16%	R	Reported	
Immunizations for Adolescents - Combination 2		27.49%	R	Reported	
Lead Screening in Children (LSC)					
Lead Screening in Children			NR	Not Reported	
Breast Cancer Screening (BCS)					
Breast Cancer Screening			NR	Not Reported	
Cervical Cancer Screening (CCS)			_		
Cervical Cancer Screening		30.95%	R	Reported	
Chlamydia Screening in Women (CHL)					
Chlamydia Screening in Women (16-20)		46.55%	R	Reported	
Chlamydia Screening in Women (21-24)		57.27%	R	Reported	
Chlamydia Screening in Women (Total)	V	51.81%	R	Reported	
Appropriate Testing for Pharyngitis (CWP)	Y	74.950/	D	Donastad	
Appropriate Testing for Phanyagitis (3-17)		74.35%	R	Reported	
Appropriate Testing for Pharyngitis (18-64)		67.47%	R	Reported Small Denominator	
Appropriate Testing for Pharyngitis (65+)		72.420/	NA P	Small Denominator	
Appropriate Testing for Pharyngitis (Total) Use of Spirometry Testing in the Assessment and Diagnosis of		72.12%	R	Reported	
COPD (SPR)					
Use of Spirometry Testing in the Assessment and Diagnosis of			NA	Small Denominator	
COPD					
Pharmacotherapy Management of COPD Exacerbation (PCE)	Y				
Pharmacotherapy Management of COPD Exacerbation - Systemic		47.58%	R	Reported	
Corticosteroid		11.2370			
Pharmacotherapy Management of COPD Exacerbation - Bronchodilator		60.48%	R	Reported	
Asthma Medication Ratio (AMR)	Y				
Asthma Medication Ratio (5-11)		72.52%	R	Reported	
Asthma Medication Ratio (12-18)		50.43%	R	Reported	
Asthma Medication Ratio (19-50)		43.62%	R	Reported	
Asthma Medication Ratio (51-64)		42.17%	R	Reported	

Macaura/Data Flament	Benefit Offered	Rate	Audit Designation	Comment
Measure/Data Element Asthma Medication Ratio (Total)	Benefit Offered	51.39%	Audit Designation	Reported
Controlling High Blood Pressure (CBP)		31.35%	K	Reported
Controlling High Blood Pressure		43.55%	R	Reported
Persistence of Beta-Blocker Treatment After a Heart Attack	Y			·
(PBH)	•	50,000/	D	December
Persistence of Beta-Blocker Treatment After a Heart Attack		53.33%	R	Reported
Statin Therapy for Patients With Cardiovascular Disease (SPC)	Y			
Statin Therapy for Patients With Cardiovascular Disease - Received Statin Therapy (M 21-75)		48.04%	R	Reported
Statin Therapy for Patients With Cardiovascular Disease - Statin Adherence 80% (M 21-75)		61.22%	R	Reported
Statin Therapy for Patients With Cardiovascular Disease - Received Statin Therapy (F 40-75)		45.05%	R	Reported
Statin Therapy for Patients With Cardiovascular Disease - Statin Adherence 80% (F 40-75)		56.1%	R	Reported
Statin Therapy for Patients With Cardiovascular Disease - Received Statin Therapy (Total)		46.63%	R	Reported
Statin Therapy for Patients With Cardiovascular Disease - Statin Adherence 80% (Total)		58.89%	R	Reported
Cardiac Rehabilitation (CRE)				
Cardiac Rehabilitation - Initiation (18-64)		1.77%	R	Reported
Cardiac Rehabilitation - Engagement1 (18-64)		1.77%	R	Reported
Cardiac Rehabilitation - Engagement2 (18-64)		0%	R	Reported
Cardiac Rehabilitation - Achievement (18-64)		0%	R	Reported
Cardiac Rehabilitation - Initiation (65+)		0%	NA	Small Denominator
Cardiac Rehabilitation - Engagement1 (65+)		0%	NA	Small Denominator
Cardiac Rehabilitation - Engagement2 (65+)		0%	NA	Small Denominator
Cardiac Rehabilitation - Achievement (65+)		0%	NA	Small Denominator
Cardiac Rehabilitation - Initiation (Total)		1.67%	R	Reported
Cardiac Rehabilitation - Engagement1 (Total)		1.67%	R	Reported
Cardiac Rehabilitation - Engagement2 (Total)		0%	R	Reported
Cardiac Rehabilitation - Achievement (Total)		0%	R	Reported
Comprehensive Diabetes Care (CDC)				
Comprehensive Diabetes Care - HbA1c Testing		75.43%	R	Reported
Comprehensive Diabetes Care - Poor HbA1c Control		60.34%	R	Reported
Comprehensive Diabetes Care - HbA1c Control (<8%)		32.85%	R	Reported
Comprehensive Diabetes Care - Eye Exams Comprehensive Diabetes Care - Blood Pressure Control (<140/90)		41.85%	R R	Reported Reported
. ,		40.070	"	Поролю
Kidney Health Evaluation for Patients With Diabetes (KED)				
Kidney Health Evaluation for Patients With Diabetes (18-64)		26.72%	R	Reported
Kidney Health Evaluation for Patients With Diabetes (65-74)		23.49%	R	Reported
Kidney Health Evaluation for Patients With Diabetes (75-85) Kidney Health Evaluation for Patients With Diabetes (Total)		19.72% 26.21%	R R	Reported
Statin Therapy for Patients With Diabetes (SPD)	Y	20.21%	K	Reported
Statin Therapy for Patients With Diabetes (SPD) Statin Therapy for Patients With Diabetes - Received Statin Therapy	1	39.15%	R	Reported
Statin Therapy for Patients With Diabetes - Statin Adherence 80%		63.11%	R	Reported
,,	Y			·
Antidepressant Medication Management (AMM) Antidepressant Medication Management - Effective Acute Phase	T			
Treatment		53.17%	R	Reported
Antidepressant Medication Management - Effective Continuation Phase Treatment		36.46%	R	Reported
Follow-Up Care for Children Prescribed ADHD Medication (ADD)	Y			
Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase		36.95%	R	Reported
Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase		50%	NA	Small Denominator
Follow-up After Hospitalization for Mental Illness (FUH)	Y			
Follow-Up After Hospitalization For Mental Illness - 30 days (6-17)		76.97%	R	Reported
Follow-Up After Hospitalization For Mental Illness - 7 days (6-17)		56.58%	R	Reported
Follow-Up After Hospitalization For Mental Illness - 30 days (18-64)		48.4%	R	Reported
Follow-Up After Hospitalization For Mental Illness - 7 days (18-64)		29.75%	R	Reported
Follow-Up After Hospitalization For Mental Illness - 30 days (65+)		14.29%	NA	Small Denominator
Follow-Up After Hospitalization For Mental Illness - 7 days (65+)		14.29%	NA	Small Denominator
Follow-Up After Hospitalization For Mental Illness - 30 days (Total)		53.85%	R	Reported

Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
Follow-Up After Hospitalization For Mental Illness - 7 days (Total)	2010111 0110104	35.01%	R	Reported
Follow-Up After Emergency Department Visit for Mental Illness	Y			
(FUM) Follow-Up After Emergency Department Visit for Mental Illness - 30	Y			
days (6-17)		63.75%	R	Reported
Follow-Up After Emergency Department Visit for Mental Illness - 7 days (6-17)		50%	R	Reported
Follow-Up After Emergency Department Visit for Mental Illness - 30 days (18-64)		37.91%	R	Reported
Follow-Up After Emergency Department Visit for Mental Illness - 7 days (18-64)		21.7%	R	Reported
Follow-Up After Emergency Department Visit for Mental Illness - 30		60%	NA	Small Denominator
days (65+) Follow-Up After Emergency Department Visit for Mental Illness - 7		20%	NA NA	Small Denominator
days (65+) Follow-Up After Emergency Department Visit for Mental Illness - 30				
days (Total)		42.76%	R	Reported
Follow-Up After Emergency Department Visit for Mental Illness - 7 days (Total)		26.73%	R	Reported
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)	Υ			
Follow-Up After High-Intensity Care for Substance Use Disorder - 30 days (13-17)		0%	NA	Small Denominator
Follow-Up After High-Intensity Care for Substance Use Disorder - 7		0%	NA NA	Small Denominator
Days (13-17) Follow-Up After High-Intensity Care for Substance Use Disorder - 30		42.31%	R	Reported
days (18-64) Follow-Up After High-Intensity Care for Substance Use Disorder - 7				·
Days (18-64)		21.43%	R	Reported
Follow-Up After High-Intensity Care for Substance Use Disorder - 30 days (65+)		0%	NA	Small Denominator
Follow-Up After High-Intensity Care for Substance Use Disorder - 7 Days (65+)		0%	NA	Small Denominator
Follow-Up After High-Intensity Care for Substance Use Disorder - 30 days (Total)		41.62%	R	Reported
Follow-Up After High-Intensity Care for Substance Use Disorder - 7		21.08%	R	Reported
Days (Total) Follow-Up After Emergency Department Visit for Alcohol and	Y			<u>'</u>
Other Drug Abuse or Dependence (FUA) Follow-Up After Emergency Department Visit for Alcohol and Other	'			
Drug Abuse or Dependence - 30 days (13-17)		11.11%	R	Reported
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - 7 days (13-17)		5.56%	R	Reported
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - 30 days (18+)		19.53%	R	Reported
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - 7 days (18+)		13.06%	R	Reported
Follow-Up After Emergency Department Visit for Alcohol and Other		19.19%	R	Reported
Drug Abuse or Dependence - 30 days (Total) Follow-Up After Emergency Department Visit for Alcohol and Other		12.75%	R	Reported
Drug Abuse or Dependence - 7 days (Total) Pharmacotherapy for Opioid Use Disorder (POD)	Y	12.7070	1	Поролюц
Pharmacotherapy for Opioid Use Disorder (16-64)		19.94%	R	Reported
Pharmacotherapy for Opioid Use Disorder (65+)		33.33%	NA	Small Denominator
Pharmacotherapy for Opioid Use Disorder (Total)		20%	R	Reported
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Med (SSD)	Y			
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications		73.69%	R	Reported
Diabetes Monitoring for People With Diabetes and Schizophrenia				
(SMD) Diabetes Monitoring for People With Diabetes and Schizophrenia		55.56%	R	Reported
Cardiovascular Monitoring for People With Cardiovascular				.,,
Disease and Schizophrenia (SMC) Cardiovascular Monitoring for People With Cardiovascular Disease				
and Schizophrenia Adherence to Antipsychotic Medications for Individuals With		71.43%	NA	Small Denominator
Schizophrenia (SAA)	Y			
Adherence to Antipsychotic Medications for Individuals With Schizophrenia		51.5%	R	Reported
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)	Υ			
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose Testing (1-11)		51.72%	R	Reported
Metabolic Monitoring for Children and Adolescents on Antipsychotics -		36.78%	R	Reported
Cholesterol Testing (1-11) Metabolic Monitoring for Children and Adolescents on Antipsychotics -				·
Blood Glucose and Cholesterol Testing (1-11)		36.78%	R	Reported

		= .		
Measure/Data Element Metabolic Manitoring for Children and Adolescents on Antinsychotics	Benefit Offered	Rate	Audit Designation	Comment
Metabolic Monitoring for Children and Adolescents on Antipsychotics- Blood Glucose Testing (12-17)		61.76%	R	Reported
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Cholesterol Testing (12-17)		31.76%	R	Reported
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose and Cholesterol Testing (12-17)		31.76%	R	Reported
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose Testing (Total)		58.37%	R	Reported
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Cholesterol Testing (Total)		33.46%	R	Reported
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose and Cholesterol Testing (Total)		33.46%	R	Reported
Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)				
Non-Recommended Cervical Cancer Screening in Adolescent Females		0.7%	R	Reported
Appropriate Treatment for Upper Respiratory Infection (URI)	Υ			
Appropriate Treatment for Upper Respiratory Infection (3 Months-17 Years)		86.4%	R	Reported
Appropriate Treatment for Upper Respiratory Infection (18-64)		72.14%	R	Reported
Appropriate Treatment for Upper Respiratory Infection (65+)		98.11%	R	Reported
Appropriate Treatment for Upper Respiratory Infection (Total)		82.65%	R	Reported
Appropriate Treatment for Upper Respiratory Infection (Total) Avoidance of Antibiotic Treatment for Acute		02.0370	IX.	ινεμοιτεά
Bronchitis/Bronchiolitis (AAB)	Υ			
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (3		59.3%	R	Reported
Months-17 Years) Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis		36%	R	Reported
(18-64) Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis		100%	NA NA	Small Denominator
(65+) Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis		50%	R	
(Total) Use of Imaging Studies for Low Back Pain (LBP)		30%	, r	Reported
Use of Imaging Studies for Low Back Pain		72.92%	R	Reported
Use of Opioids at High Dosage (HDO)	Y	12.02/0	IX.	Поропои
Use of Opioids at High Dosage	·	2.78%	R	Reported
Use of Opioids From Multiple Providers (UOP)	Y	2.1070	.,	Поропои
Use of Opioids From Multiple Providers - Multiple Prescribers		15.44%	R	Reported
Use of Opioids From Multiple Providers - Multiple Pharmacies		2.46%	R	Reported
Use of Opioids From Multiple Providers - Multiple Prescribers and		1.15%	R	Reported
Multiple Pharmacies	V	1.1070	11	ποροποί
Risk of Continued Opioid Use (COU)	Υ	4.740/	<u> </u>	Description
Risk of Continued Opioid Use - >=15 Days (18-64)		1.71%	R	Reported
Risk of Continued Opioid Use - >=31 Days (18-64)		1.21%	R	Reported
Risk of Continued Opioid Use - >=15 Days (65+)		0%	NA NA	Small Denominator
Risk of Continued Opioid Use - >=31 Days (65+)		0%	NA B	Small Denominator
Risk of Continued Opioid Use - >=15 Days (Total)		1.71% 1.21%	R R	Reported
Risk of Continued Opioid Use - >=31 Days (Total)		1.21%	K	Reported
Access/Availability of Care				
Adults' Access to Preventive/Ambulatory Health Services (AAP)				
Adults' Access to Preventive/Ambulatory Health Services (20-44)		63.8%	R	Reported
Adults' Access to Preventive/Ambulatory Health Services (45-64)		69.99%	R	Reported
Adults' Access to Preventive/Ambulatory Health Services (65+)		78.75%	R	Reported
Adults' Access to Preventive/Ambulatory Health Services (Total)		66.41%	R	Reported
Annual Dental Visit (ADV)	Υ			
Annual Dental Visit (2-3)		42.48%	R	Reported
Annual Dental Visit (4-6)		58.04%	R	Reported
Annual Dental Visit (7-10)		59.8%	R	Reported
Annual Dental Visit (11-14)		56.46%	R	Reported
Annual Dental Visit (15-18)		48.57%	R	Reported
Annual Dental Visit (19-20)		31.99%	R	Reported
Annual Dental Visit (Total)		52.7%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)	Υ			
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Alcohol Abuse or Dependence (13-17)		38.24%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Alcohol Abuse or Dependence (13-17)		5.88%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Opioid Abuse or Dependence (13-17)		50%	NA	Small Denominator

Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
Initiation and Engagement of Alcohol and Other Drug Abuse or				
Dependence Treatment - Engagement of AOD - Opioid Abuse or Dependence (13-17)		0%	NA	Small Denominator
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Other Drug Abuse or Dependence (13-17)		55.32%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Other Drug Abuse or Dependence (13-17)		17.02%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Total (13-17)		47.86%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or		13.68%	R	Reported
Dependence Treatment - Engagement of AOD - Total (13-17) Initiation and Engagement of Alcohol and Other Drug Abuse or				·
Dependence Treatment - Initiation of AOD - Alcohol Abuse or Dependence (18+)		40.34%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Alcohol Abuse or Dependence (18+)		13.25%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Opioid Abuse or Dependence (18+)		61.63%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Opioid Abuse or Dependence (18+)		27.21%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Other Drug Abuse or Dependence (18+)		41.77%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Other Drug Abuse or Dependence (18+)		11.11%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Total (18+)		43.04%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Total (18+)		14.88%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Alcohol Abuse or Dependence (Total)		40.28%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Alcohol Abuse or Dependence (Total)		13.04%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Opioid Abuse or Dependence (Total)		61.52%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Opioid Abuse or Dependence (Total)		26.96%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Other Drug Abuse or Dependence (Total)		42.76%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Other Drug Abuse or Dependence (Total)		11.54%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Total (Total)		43.26%	R	Reported
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Total (Total)		14.83%	R	Reported
Prenatal and Postpartum Care (PPC)				
Prenatal and Postpartum Care - Timeliness of Prenatal Care		68.37%	R R	Reported
Prenatal and Postpartum Care - Postpartum Care Use of First-Line Psychosocial Care for Children and	.,	59.85%	K	Reported
Adolescents on Antipsychotics (APP)	Υ			
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (1-11)		72.41%	NA	Small Denominator
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (12-17)		72.13%	R	Reported
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (Total)		72.22%	R	Reported
Utilization				
Well-Child Visits in the First 30 Months of Life (W30)				
Well-Child Visits in the First 30 Months of Life (First 15 Months)		42.7%	R	Reported
Well-Child Visits in the First 30 Months of Life (15 Months-30 Months)		54.87%	R	Reported
Child and Adolescent Well-Care Visits (WCV)				
Child and Adolescent Well-Care Visits (3-11)		37.81%	R	Reported
Child and Adolescent Well-Care Visits (12-17)		29.64%	R	Reported
Child and Adolescent Well-Care Visits (18-21)		12.85%	R	Reported
Child and Adolescent Well-Care Visits (Total)		30.96%	R	Reported

		T		_
Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
Frequency of Selected Procedures (FSP)			NR	Not Reported
Ambulatory Care (AMBa)			R	Reported
Ambulatory Care (AMBb)			NR	Not Reported
Ambulatory Care (AMBc)			NR	Not Reported
Ambulatory Care (AMBd)			NR	Not Reported
Inpatient Utilization - General Hospital/Acute Care (IPUa)			NR	Not Reported
Inpatient Utilization - General Hospital/Acute Care (IPUb)			NR	Not Reported
Inpatient Utilization - General Hospital/Acute Care (IPUc)			NR	Not Reported
Inpatient Utilization - General Hospital/Acute Care (IPUd)			NR	Not Reported
Identification of Alcohol and other Drug Services (IADa)			NR	Not Reported
Identification of Alcohol and other Drug Services (IADb)			NR	Not Reported
Identification of Alcohol and other Drug Services (IADc)			NR	Not Reported
Identification of Alcohol and other Drug Services (IADd)			NR	Not Reported
Mental Health Utilization (MPTa)			NR	Not Reported
Mental Health Utilization (MPTb)			NR	Not Reported
Mental Health Utilization (MPTc)			NR	Not Reported
Mental Health Utilization (MPTd)			NR	Not Reported
Antibiotic Utilization (ABXa)			NR	Not Reported
Antibiotic Utilization (ABXb)			NR	Not Reported
Antibiotic Utilization (ABXc)			NR	Not Reported
Antibiotic Utilization (ABXd)			NR NR	Not Reported
Risk Adjusted Utilization			INIX	Not reported
Plan All-Cause Readmissions (PCR)			R	Reported
Health Plan Descriptive Information			K	Reported
			ND	Not Paparted
Enrollment by Product Line (ENPa)			NR NB	Not Reported
Enrollment by Product Line (ENPb)			NR	Not Reported
Enrollment by Product Line (ENPc)			NR	Not Reported
Enrollment by Product Line (ENPd)			NR	Not Reported
Enrollment by State (EBS)			NR	Not Reported
Language Diversity of Membership (LDM)			NR	Not Reported
Race/Ethnicity Diversity of Membership (RDM)			NR	Not Reported
Total Membership (TLM)			NR	Not Reported
Electronic Clinical Data Systems				
Breast Cancer Screening (BCS-E)				
Breast Cancer Screening (BCS-E) Breast Cancer Screening			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)				
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-			NR NR	Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase				
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)			NR NR	Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults -			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)			NR NR NR	Not Reported Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total)			NR NR	Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for			NR NR NR	Not Reported Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)			NR NR NR NR	Not Reported Not Reported Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E) Utilization of the PHQ-9 to Monitor Depression Symptoms for			NR NR NR	Not Reported Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for			NR NR NR NR NR	Not Reported Not Reported Not Reported Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total)			NR NR NR NR	Not Reported Not Reported Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total)			NR NR NR NR NR	Not Reported Not Reported Not Reported Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total)			NR NR NR NR NR NR NR NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total)			NR NR NR NR NR NR	Not Reported Not Reported Not Reported Not Reported Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total)			NR NR NR NR NR NR NR NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Potol (Total) Depression Remission or Response for Adolescents and Adults (DRR-E)			NR NR NR NR NR NR NR NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Depression Remission or Response for Adolescents and Adults			NR NR NR NR NR NR NR NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Total (Total) Depression Remission or Response for Adolescents and Adults (DRR-E) Depression Remission or Response for Adolescents and Adults - Follow-up PHQ-9 (Total)			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Depression Remission or Response for Adolescents and Adults			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period9 (Total) Depression Remission or Response for Adolescents and Adults - Follow-up PHQ-9 (Total)			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Poriod3 (Total) Utilization of Response for Adolescents and Adults - Utilization of PHQ-9-Total (Total) Depression Remission or Response for Adolescents and Adults - Polpow-up PHQ-9 (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission (Total)			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission Of Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission Of Response for Adolescents and Adults - Depression Remission (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total)			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Total (Total) Depression Remission or Response for Adolescents and Adults (DRR-E) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total) Depression Remission or Response for Adolescents and Adults - Depression Response (Total) Unhealthy Alcohol Use Screening and Follow-Up - Unhealthy Alcohol			NR	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Total (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission (Total)			NR N	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pollow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Proid3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Total (Total) Depression Remission or Response for Adolescents and Adults - Pepression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolesc			NR N	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Potal (Total) Depression Remission or Response for Adolescents and Adults - Follow-up PHQ-9 (Total) Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission Of Total) Unhealthy Alcohol Use Screening and Follow-Up - Unhealthy Alcohol Use Screening and Follow-Up - Alcohol Use Screening or Other Follow-Up - Alcohol			NR N	Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Total (Total) Depression Remission or Response for Adolescents and Adults - Pepression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission Of Seponse (Total) Unhealthy Alcohol Use Screening and Follow-Up (ASF-E) Unhealthy Alcohol Use Screening and Follow-Up - Alcohol			NR N	Not Reported Not Reported
Breast Cancer Screening (BCS-E) Breast Cancer Screening Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase Pepression Screening and Follow-Up for Adolescents and Adults (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total) Depression Screening and Follow-Up for Adolescents and Adults - Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Portol (Total) Depression Remission or Response for Adolescents and Adults (DRR-E) Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults - Depression Remission or Response for Adolescents and Adults -			NR N	Not Reported

Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
Adult Immunization Status - Zoster			NR	Not Reported
Prenatal Immunization Status (PRS-E)				
Prenatal Immunization Status - Influenza		40.99%	R	Reported
Prenatal Immunization Status - Tdap		53.36%	R	Reported
Prenatal Immunization Status - Combination		31.65%	R	Reported
Prenatal Depression Screening and Follow-Up (PND-E)				
Prenatal Depression Screening and Follow-Up - Depression Screening			NR	Not Reported
Prenatal Depression Screening and Follow-Up - Follow-Up on Positive Screen			NR	Not Reported
Postpartum Depression Screening and Follow-Up (PDS-E)				
Postpartum Depression Screening and Follow-Up - Depression Screening			NR	Not Reported
Postpartum Depression Screening and Follow-Up - Follow-Up on Positive Screen			NR	Not Reported