

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2010						
This submission is unlocked.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Effectiveness of Care: Prevention and Screening						
Adult BMI Assessment (aba)	N			NR	NR	
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc)	N					
<i>BMI Percentile</i>				NR	NR	
<i>Counseling for Nutrition</i>				NR	NR	
<i>Counseling for Physical Activity</i>				NR	NR	
Childhood Immunization Status (cis)	Y		N			
<i>DTaP</i>				77.48%	R	
<i>IPV</i>				86.53%	R	
<i>MMR</i>				86.75%	R	
<i>HiB</i>				86.53%	R	
<i>Hepatitis B</i>				84.99%	R	
<i>VZV</i>				86.98%	R	
<i>Pneumococcal Conjugate</i>				74.17%	R	
<i>Hepatitis A</i>				36.20%	R	
<i>Rotavirus</i>				66.45%	R	
<i>Influenza</i>				44.15%	R	
<i>Combination #2</i>				69.76%	R	
<i>Combination #3</i>				64.68%	R	
<i>Combination #4</i>				31.13%	R	
<i>Combination #5</i>				51.21%	R	
<i>Combination #6</i>				33.55%	R	
<i>Combination #7</i>				24.28%	R	
<i>Combination #8</i>				17.88%	R	
<i>Combination #9</i>				27.37%	R	
<i>Combination #10</i>				14.35%	R	
Immunizations for Adolescents (ima)	Y					
<i>Meningococcal</i>				40.89%	R	
<i>Tdap/Td</i>				65.99%	R	
<i>Combination #1</i>				37.25%	R	
Lead Screening in Children (lsc)	Y		N	19.58%	R	
Breast Cancer Screening (bcs)	Y			38.46%	R	
Cervical Cancer Screening (ccs)	Y			60.53%	R	
Chlamydia Screening in Women (chl)	Y					
<i>16-20 Years</i>				41.05%	R	
<i>21-24 Years</i>				62.28%	R	
<i>Total</i>				48.27%	R	
Effectiveness of Care: Respiratory Conditions						

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2010						
This submission is unlocked.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Appropriate Testing for Children with Pharyngitis (cwp)	Y	Y		56.15%	R	
Appropriate Treatment for Children With URI (uri)	Y	Y		83.32%	R	
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)	Y	Y		13.46%	R	
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)	Y			NA	R	
Pharmacotherapy Management of COPD Exacerbation (pce)	Y	Y				
<i>Systemic Corticosteroid</i>				NA	R	
<i>Bronchodilator</i>				NA	R	
Use of Appropriate Medications for People With Asthma (asm)	Y	Y				
5-11 Years				NA	R	
12-50 Years				NA	R	
Total				90.70%	R	
Effectiveness of Care: Cardiovascular						
Cholesterol Management for Patients With Cardiovascular Conditions (cmc)	Y		N			
<i>LDL-C Screening Performed</i>				NA	R	
<i>LDL-C Control (<100 mg/dL)</i>				NA	R	
Controlling High Blood Pressure (cbp)	Y			44.17%	R	
Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)	Y	Y		NA	R	
Effectiveness of Care: Diabetes						
Comprehensive Diabetes Care (cdc)	Y		N			
<i>Hemoglobin A1c (HbA1c) Testing</i>				83.54%	R	
<i>HbA1c Poor Control (>9.0%)</i>				46.84%	R	
<i>HbA1c Control (<8.0%)</i>				45.57%	R	
<i>HbA1c Control (<7.0%)</i>				NA	R	
<i>Eye Exam (Retinal) Performed</i>				48.73%	R	
<i>LDL-C Screening Performed</i>				65.19%	R	
<i>LDL-C Control (<100 mg/dL)</i>				39.24%	R	
<i>Medical Attention for Nephropathy</i>				68.99%	R	
<i>Blood Pressure Control (<140/80 mm Hg)</i>				41.77%	R	
<i>Blood Pressure Control (<140/90 mm Hg)</i>				52.53%	R	
Effectiveness of Care: Musculoskeletal						
Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art)	Y	Y		NA	R	
Use of Imaging Studies for Low Back Pain (lbp)	Y			71.43%	R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2010						
This submission is unlocked.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Effectiveness of Care: Behavioral Health						
Antidepressant Medication Management (amm)	N	N				
<i>Effective Acute Phase Treatment</i>				NR	NR	
<i>Effective Continuation Phase Treatment</i>				NR	NR	
Follow-Up Care for Children Prescribed ADHD Medication (add)	Y	Y				
<i>Initiation Phase</i>				NA	R	
<i>Continuation and Maintenance (C&M) Phase</i>				NA	R	
Follow-Up After Hospitalization for Mental Illness (fuh)	N	N				
<i>30-Day Follow-Up</i>				NR	NR	
<i>7-Day Follow-Up</i>				NR	NR	
Effectiveness of Care: Medication Management						
Annual Monitoring for Patients on Persistent Medications (mpm)	Y	Y				
<i>ACE Inhibitors or ARBs</i>				88.37%	R	
<i>Digoxin</i>				NA	R	
<i>Diuretics</i>				89.36%	R	
<i>Anticonvulsants</i>				NA	R	
<i>Total</i>				87.76%	R	
Access/Availability of Care						
Adults' Access to Preventive/Ambulatory Health Services (aap)	Y					
<i>20-44 Years</i>				81.04%	R	
<i>45-64 Years</i>				85.08%	R	
<i>65+ Years</i>				NA	R	
<i>Total</i>				82.11%	R	
Children and Adolescents' Access to Primary Care Practitioners (cap)	Y					
<i>12-24 Months</i>				95.62%	R	
<i>25 Months - 6 Years</i>				81.87%	R	
<i>7-11 Years</i>				86.04%	R	
<i>12-19 Years</i>				84.25%	R	
Annual Dental Visit (adv)	Y	Y				
<i>2-3 Years</i>				37.61%	R	
<i>4-6 Years</i>				61.32%	R	
<i>7-10 Years</i>				65.86%	R	
<i>11-14 Years</i>				61.80%	R	
<i>15-18 Years</i>				51.57%	R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2010						
This submission is unlocked.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
19-21 Years				27.32%	R	
Total				55.80%	R	
Initiation and Engagement of AOD Dependence Treatment (iet)	N	N				
Initiation of AOD Treatment: 13-17 Years				NR	NR	
Engagement of AOD Treatment: 13-17 Years				NR	NR	
Initiation of AOD Treatment: 18+ Years				NR	NR	
Engagement of AOD Treatment: 18+ Years				NR	NR	
Initiation of AOD Treatment: Total				NR	NR	
Engagement of AOD Treatment: Total				NR	NR	
Prenatal and Postpartum Care (ppc)	Y					
Timeliness of Prenatal Care				86.50%	R	
Postpartum Care				59.29%	R	
Call Answer Timeliness (cat)	Y			87.18%	R	
Call Abandonment (cab)	Y			1.26%	R	
Use of Services						
Frequency of Ongoing Prenatal Care (fpc)	Y					
<21 Percent				9.96%	R	
21-40 Percent				3.98%	R	
41-60 Percent				6.64%	R	
61-80 Percent				8.85%	R	
81+ Percent				70.58%	R	
Well-Child Visits in the First 15 Months of Life (w15)	Y		N			
0 Visits				1.55%	R	
1 Visit				2.87%	R	
2 Visits				4.64%	R	
3 Visits				6.18%	R	
4 Visits				11.70%	R	
5 Visits				21.19%	R	
6+ Visits				51.88%	R	
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)	Y		N	60.26%	R	
Adolescent Well-Care Visits (awc)	Y		N	32.02%	R	
Frequency of Selected Procedures (fsp)	Y				R	
Ambulatory Care: Total (amba)	Y				R	
Ambulatory Care: Dual Eligibles (ambb)	N				NR	
Ambulatory Care: Disabled (ambc)	N				NR	
Ambulatory Care: Other (ambd)	N				NR	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2010						
This submission is unlocked.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Inpatient Utilization--General Hospital/Acute Care: Total (ipua)	Y				R	
Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub)	N				NR	
Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc)	N				NR	
Inpatient Utilization--General Hospital/Acute Care: Other (ipud)	N				NR	
Identification of Alcohol and Other Drug Services: Total (iada)	N	N			NR	
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	N	N			NR	
Identification of Alcohol and Other Drug Services: Disabled (iadc)	N	N			NR	
Identification of Alcohol and Other Drug Services: Other (iadd)	N	N			NR	
Mental Health Utilization: Total (mpta)	N	N			NR	
Mental Health Utilization: Dual Eligibles (mptb)	N	N			NR	
Mental Health Utilization: Disabled (mptc)	N	N			NR	
Mental Health Utilization: Other (mptd)	N	N			NR	
Antibiotic Utilization: Total (abxa)	Y	Y			R	
Antibiotic Utilization: Dual Eligibles (abxb)	N	N			NR	
Antibiotic Utilization: Disabled (abxc)	N	N			NR	
Antibiotic Utilization: Other (abxd)	N	N			NR	
Cost of Care						
Relative Resource Use for People With Diabetes (rdi)	Y					
<i>Inpatient Facility: Per Member Per Month</i>				\$455.59	R	
<i>E & M Inpatient: Per Member Per Month</i>				\$22.45	R	
<i>E & M Outpatient: Per Member Per Month</i>				\$79.28	R	
<i>Surgery Inpatient: Per Member Per Month</i>				\$17.17	R	
<i>Surgery Outpatient: Per Member Per Month</i>				\$78.34	R	
<i>Pharmacy: Per Member Per Month</i>				\$199.80	R	
<i>Inpatient Facility Discharges per 1,000 Member Years</i>				406.23	R	
<i>ED Visits per 1,000 Member Years</i>				1,218.70	R	
Relative Resource Use for People With Asthma (ras)	Y	Y				
<i>Inpatient Facility: Per Member Per Month</i>				\$12.05	R	
<i>E & M Inpatient: Per Member Per Month</i>				\$1.27	R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2010						
This submission is unlocked.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
<i>E & M Outpatient: Per Member Per Month</i>				\$50.78	R	
<i>Surgery Inpatient: Per Member Per Month</i>				\$1.03	R	
<i>Surgery Outpatient: Per Member Per Month</i>				\$24.40	R	
<i>Pharmacy: Per Member Per Month</i>				\$137.40	R	
<i>Inpatient Facility Discharges per 1,000 Member Years</i>				27.78	R	
<i>ED Visits per 1,000 Member Years</i>				1,111.11	R	
Relative Resource Use for People With Acute Low Back Pain (rlb)	Y					
<i>Inpatient Facility: Per Member Per Month</i>				\$0.00	R	
<i>E & M Inpatient: Per Member Per Month</i>				\$0.00	R	
<i>E & M Outpatient: Per Member Per Month</i>				\$57.75	R	
<i>Surgery Inpatient: Per Member Per Month</i>				\$0.00	R	
<i>Surgery Outpatient: Per Member Per Month</i>				\$0.73	R	
<i>Pharmacy: Per Member Per Month</i>				\$30.17	R	
<i>Inpatient Facility Discharges per 1,000 Member Years</i>				0.00	R	
<i>ED Visits per 1,000 Member Years</i>				1,500.00	R	
<i>MRIs per 1,000 Member Years</i>				500.00	R	
Relative Resource Use for People With Cardiovascular Conditions (rca)	Y					
<i>Inpatient Facility: Per Member Per Month</i>				\$110.47	R	
<i>E & M Inpatient: Per Member Per Month</i>				\$5.33	R	
<i>E & M Outpatient: Per Member Per Month</i>				\$54.72	R	
<i>Surgery Inpatient: Per Member Per Month</i>				\$0.00	R	
<i>Surgery Outpatient: Per Member Per Month</i>				\$1.67	R	
<i>Pharmacy: Per Member Per Month</i>				\$371.14	R	
<i>Inpatient Facility Discharges per 1,000 Member Years</i>				333.33	R	
<i>ED Visits per 1,000 Member Years</i>				333.33	R	
Relative Resource Use for People With Hypertension (rhy)	Y					
<i>Inpatient Facility: Per Member Per Month</i>				\$229.67	R	
<i>E & M Inpatient: Per Member Per Month</i>				\$9.21	R	
<i>E & M Outpatient: Per Member Per Month</i>				\$77.24	R	
<i>Surgery Inpatient: Per Member Per Month</i>				\$14.70	R	
<i>Surgery Outpatient: Per Member Per Month</i>				\$74.05	R	
<i>Pharmacy: Per Member Per Month</i>				\$132.00	R	
<i>Inpatient Facility Discharges per 1,000 Member Years</i>				278.45	R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2010						
This submission is unlocked.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
<i>ED Visits per 1,000 Member Years</i>				1,392.27	R	
Relative Resource Use for People With COPD (rco)	Y					
<i>Inpatient Facility: Per Member Per Month</i>				\$988.66	R	
<i>E & M Inpatient: Per Member Per Month</i>				\$45.93	R	
<i>E & M Outpatient: Per Member Per Month</i>				\$95.39	R	
<i>Surgery Inpatient: Per Member Per Month</i>				\$62.60	R	
<i>Surgery Outpatient: Per Member Per Month</i>				\$57.42	R	
<i>Pharmacy: Per Member Per Month</i>				\$270.70	R	
<i>Inpatient Facility Discharges per 1,000 Member Years</i>				861.07	R	
<i>ED Visits per 1,000 Member Years</i>				1,813.74	R	
Health Plan Descriptive Information						
Board Certification (bcr)	N				NR	
Enrollment by Product Line: Total (enpa)	Y				R	
Enrollment by Product Line: Dual Eligibles (enpb)	N				NR	
Enrollment by Product Line: Disabled (enpc)	N				NR	
Enrollment by Product Line: Other (enpd)	N				NR	
Enrollment by State (ebs)	Y				R	
Race/Ethnicity Diversity of Membership (rdm)	N				NR	
Language Diversity of Membership (ldm)	N				NR	
Weeks of Pregnancy at Time of Enrollment in MCO (wop)	Y				R	
Health Plan Stability						
Total Membership (t1m)	Y				R	

Adult BMI Assessment (ABA)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	NR
Data collection methodology (administrative or hybrid)	NR
Eligible population	NR
Number of numerator events by administrative data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of administrative data records excluded	NR
Number of medical records excluded	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	NR
Numerator events by medical records	NR
Reported rate	NR
Lower 95% confidence interval	NR
Upper 95% confidence interval	NR

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)									
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)									
Data Element	BMI Percentile			Counseling for Nutrition			Counseling for Physical Activity		
	3-11 years	12-17 years	Total	3-11 years	12-17 years	Total	3-11 years	12-17 years	Total
Measurement year	NR			NR			NR		
Data collection methodology (administrative or hybrid)	NR			NR			NR		
Eligible population	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of numerator events by administrative data in eligible population (before exclusions)	NR	NR	NR	NR	NR	NR	NR	NR	NR
Current year's administrative rate (before exclusions)	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum required sample size (MRSS) or other sample size	NR			NR			NR		
Oversampling rate	NR			NR			NR		
Final sample size	NR			NR			NR		
Number of numerator events by administrative data in FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR
Administrative rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of original sample records excluded because of valid data errors	NR			NR			NR		
Number of administrative data records excluded	NR			NR			NR		
Number of medical records excluded	NR			NR			NR		
Number of employee/dependent medical records excluded	NR			NR			NR		
Records added from the oversample list	NR			NR			NR		
Denominator	NR	NR	NR	NR	NR	NR	NR	NR	NR
Numerator events by administrative data	NR	NR	NR	NR	NR	NR	NR	NR	NR
Numerator events by medical records	NR	NR	NR	NR	NR	NR	NR	NR	NR
Reported rate	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% confidence interval	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% confidence interval	NR	NR	NR	NR	NR	NR	NR	NR	NR

Childhood Immunization Status (CIS)																				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)																				
Data Element	General Measure Data	DTaP	IPV	MMR	HIB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza	Combinatio n 2	Combinatio n 3	Combinatio n 4	Combinatio n 5	Combinatio n 6	Combinatio n 7	Combinatio n 8	Combinatio n 9	Combinatio n 10
Measurement year	2010																			
Data collection methodology (administrative or hybrid)	H																			
Eligible population	521																			
Number of numerator events by admin data in eligible population (before exclusions)		327	389	433	398	371	433	321	177	310	193	276	258	131	202	124	102	69	99	56
Current year's administrative rate (before exclusions)		62.76%	74.66%	83.11%	76.39%	71.21%	83.11%	61.61%	33.97%	59.50%	37.04%	52.98%	49.52%	25.14%	38.77%	23.80%	19.58%	13.24%	19.00%	10.75%
Minimum required sample size (MRSS) or other sample Size	411																			
Oversampling rate	0.1																			
Final sample size	453																			
Number of numerator events by admin data in FSS		283	334	374	343	321	374	275	152	267	172	237	219	114	172	107	89	63	85	51
Administrative rate on FSS		62.47%	73.73%	82.56%	75.72%	70.86%	82.56%	60.71%	33.55%	58.94%	37.97%	52.32%	48.34%	25.17%	37.97%	23.62%	19.65%	13.91%	18.76%	11.26%
Number of original records excluded because of valid data errors	0																			
Number of administrative data records excluded	0																			
Number of medical data records excluded	0																			
Number of employee/dependent medical records excluded	0																			
Records added from the oversample list	0																			
Denominator	453																			
Numerator events by administrative data		283	334	374	343	321	374	275	152	267	172	237	219	114	172	107	89	63	85	51
Number of numerator events by medical records		68	58	19	49	64	20	61	12	34	28	79	74	27	60	45	21	18	39	14
Reported rate		77.48%	86.53%	86.75%	86.53%	84.99%	86.98%	74.17%	36.20%	66.45%	44.15%	69.76%	64.68%	31.13%	51.21%	33.55%	24.28%	17.88%	27.37%	14.35%
Lower 95% confidence interval		73.53%	83.28%	83.52%	83.28%	81.59%	83.77%	70.03%	31.67%	61.99%	39.47%	65.42%	60.17%	26.75%	46.50%	29.10%	20.22%	14.24%	23.16%	11.01%
Upper 95% confidence interval		81.44%	89.79%	89.99%	89.79%	88.39%	90.19%	78.31%	40.74%	70.90%	48.83%	74.10%	69.19%	35.50%	55.93%	38.01%	28.34%	21.52%	31.59%	17.69%

Immunizations for Adolescents (IMA)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	Meningococcal	Tdap/Td	Combination 1
Measurement year	2010			
Data collection methodology (administrative or hybrid)	A			
Eligible population	247			
Number of numerator events by admin data in eligible population (before exclusions)		NR	NR	NR
Current year's administrative rate (before exclusions)		NR	NR	NR
Minimum required sample size (MRSS) or other sample Size	NR			
Oversampling rate	NR			
Final sample size	NR			
Number of numerator events by admin data in FSS		NR	NR	NR
Administrative rate on FSS		NR	NR	NR
Number of original records excluded because of valid data errors	NR			
Number of administrative data records excluded	NR			
Number of medical data records excluded	NR			
Number of employee/dependent medical records excluded	NR			
Records added from the oversample list	NR			
Denominator	NR			
Numerator events by administrative data		101	163	92
Number of numerator events by medical records		NR	NR	NR
Reported rate		40.89%	65.99%	37.25%
Lower 95% confidence interval		34.56%	59.88%	31.02%
Upper 95% confidence interval		47.22%	72.10%	43.48%

Lead Screening in Children (LSC)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Lead Screening in Children	
Data Elements which do not apply to the selected data collection methodology will not appear	General Measure Data
Measurement year	2010
Data collection methodology (administrative or hybrid)	A
Eligible population	521
Number of numerator events by admin data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of administrative data records excluded	NR
Number of medical data records excluded	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	102
Numerator events by medical records	NR
Reported rate	19.58%
Lower 95% confidence interval	16.07%
Upper 95% confidence interval	23.08%

Breast Cancer Screening (BCS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	65
Numerator events by administrative data	25
Reported rate	38.46%
Lower 95% confidence interval	25.86%
Upper 95% confidence interval	51.06%

Cervical Cancer Screening (CCS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative or hybrid)	H
Eligible population	1066
Number of numerator events by administrative data in eligible population (before exclusions)	513
Current year's administrative rate (before exclusions)	48.12%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	220
Administrative rate on FSS	48.57%
Number of original sample records excluded because of valid data errors	0
Number of administrative data records excluded	0
Number of medical data records excluded	2
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	451
Numerator events by administrative data	220
Numerator events by medical records	53
Reported rate	60.53%
Lower 95% confidence interval	55.91%
Upper 95% confidence interval	65.15%

Chlamydia Screening in Women (CHL)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	16-20 years	21-24 years	Total
Measurement year	2010			
Data collection methodology (administrative)	A			
Eligible population		324	167	491
Numerator events by administrative data		133	104	237
Reported rate		41.05%	62.28%	48.27%
Lower 95% confidence interval		35.54%	54.62%	43.75%
Upper 95% confidence interval		46.56%	69.93%	52.79%

Appropriate Testing for Children with Pharyngitis (CWP)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	431
Numerator events by administrative data	242
Reported rate	56.15%
Lower 95% confidence interval	51.35%
Upper 95% confidence interval	60.95%

Appropriate Treatment for Children With URI (URI)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	1175
Numerator events by administrative data	196
Reported rate	83.32%
Lower 95% confidence interval	81.14%
Upper 95% confidence interval	85.49%

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	52
Total numerator events by administrative data	45
Reported rate	13.46%
Lower 95% confidence interval	3.22%
Upper 95% confidence interval	23.70%

Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	0
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Pharmacotherapy Management of COPD Exacerbation (PCE)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Pharmacotherapy Management of COPD Exacerbation			
Data Elements	Measure Data	Systemic corticosteroid	Bronchodilator
Measurement year	2010		
Data collection methodology (administrative)	A		
Eligible population	11		
Numerator events by administrative data		8	10
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA

Use of Appropriate Medications for People With Asthma (ASM)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	5-11 years	12-50 years	Total
Measurement year	2010			
Data collection methodology (administrative)	A			
Eligible population		22	21	43
Numerator events by administrative data		22	17	39
Reported rate		NA	NA	90.70%
Lower 95% confidence interval		NA	NA	80.85%
Upper 95% confidence interval		NA	NA	100.00%

Cholesterol Management for Patients With Cardiovascular Conditions (CMC)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	LDL-C Screening	LDL-C level <100 mg/dL
Measurement year	2010		
Data collection methodology (administrative or hybrid)	A		
Eligible population	3		
Number of numerator events by administrative data in eligible population (before exclusions)		NR	NR
Current year's administrative rate (before exclusions)		NR	NR
Minimum required sample size (MRSS) or other sample size	NR		
Oversampling rate	NR		
Final sample size (FSS)	NR		
Number of numerator events by administrative data in FSS		NR	NR
Administrative rate on FSS		NR	NR
Number of original sample records excluded because of valid data errors	NR		
Number of employee/dependent medical records excluded	NR		
Records added from the oversample list	NR		
Denominator	NR		
Numerator events by administrative data		2	0
Numerator events by medical records		NR	NR
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA

Controlling High Blood Pressure (CBP)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2010
Data collection methodology (hybrid)	H
Eligible population	174
Number of numerator events by administrative data in eligible population (before exclusions)	0
Current year's administrative rate (before exclusions)	0.00%
Minimum required sample size (MRSS) or other sample size	165
Oversampling rate	0.15
Final sample size (FSS)	165
Number of numerator events by administrative data in FSS	0
Administrative rate on FSS	0.00%
Number of original sample records excluded because of valid data errors	1
Number of records excluded because of false positive diagnoses	0
Number of administrative data records excluded	0
Number of medical data records excluded	0
Number of employee/dependent medical records excluded	1
Records added from the oversample list	0
Denominator	163
Numerator events by administrative data	0
Numerator events by medical records	77
Reported rate	47.24%
Lower 95% confidence interval	39.27%
Upper 95% confidence interval	55.21%

Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	1
Numerator events by administrative data	1
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Comprehensive Diabetes Care (CDC)										
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)										
Data Element	HbA1c Testing	HbA1c Poor Control (>9.0%)	HbA1c Control (<8.0%)	HbA1c Control (<7.0%) for a Selected Population	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Medical Attention for Nephropathy	Blood Pressure Controlled <140/80 mm Hg	Blood Pressure Controlled <140/90 mm Hg
Measurement year	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
Data collection methodology (administrative or hybrid)	H	H	H	H	H	H	H	H	H	H
Eligible population	159	159	159	127	159	159	159	159	159	159
Number of numerator events by administrative data in eligible population (before optional exclusions)	121	156	3	2	73	90	8	105	0	0
Current year's administrative rate (before optional exclusions)	76.10%	98.11%	1.89%	1.57%	45.91%	56.60%	5.03%	66.04%	0.00%	0.00%
Minimum required sample size (MRSS) or other sample size	159	159	159	159	159	159	159	159	159	159
Oversampling rate	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Final sample size (FSS)	159	159	159	159	159	159	159	159	159	159
Number of numerator events by administrative data in FSS	121	156	3	0	73	90	7	104	0	0
Administrative rate on FSS	76.10%	98.11%	1.89%	0.00%	45.91%	56.60%	4.40%	65.41%	0.00%	0.00%
Number of original sample records excluded because of valid data errors	1	1	1	159	1	1	1	1	1	1
Number of optional administrative data records excluded	0	0	0	0	0	0	0	0	0	0
Number of optional medical data records excluded	0	0	0	0	0	0	0	0	0	0
Number of HbA1c <7 required medical records excluded				158						
Number of HbA1c <7 required administrative data records excluded				0						
Number of employee/dependent medical records excluded	0	0	0	0	0	0	0	0	0	0
Records added from the oversample list	0	0	0	0	0	0	0	0	0	0
Denominator	158	158	158	0	158	158	158	158	158	158
Numerator events by administrative data	121	49	3	0	73	90	7	104	0	0
Numerator events by medical records	11	25	69	0	4	13	55	5	66	83
Reported rate	83.54%	46.84%	45.57%	NA	48.73%	65.19%	39.24%	68.99%	41.77%	52.53%
Lower 95% confidence interval	77.45%	38.74%	37.49%	NA	40.62%	57.45%	31.31%	61.46%	33.77%	44.43%
Upper 95% confidence interval	89.64%	54.93%	53.65%	NA	56.84%	72.93%	47.17%	76.52%	49.78%	60.63%

Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (ART)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	10
Numerator events by administrative data	7
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Use of Imaging Studies for Low Back Pain (LBP)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	91
Numerator events by administrative data	26
Reported rate	71.43%
Lower 95% confidence Interval	61.60%
Upper 95% confidence Interval	81.26%

Medicaid

Follow-Up Care for Children Prescribed ADHD Medication (ADD)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement year	2010		
Data collection methodology (administrative)	A		
Eligible population		26	5
Numerator events by administrative data		13	3
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA

Medicaid

Annual Monitoring for Patients on Persistent Medications (MPM)						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
Data Element	General Measure Data	ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement year	2010					
Data collection methodology (administrative)	A					
Eligible population		129	3	94	19	245
Numerator events by administrative data		114	2	84	15	215
Reported rate		88.37%	NA	89.36%	NA	87.76%
Lower 95% confidence interval		82.45%	NA	82.60%	NA	83.45%
Upper 95% confidence interval		94.29%	NA	96.13%	NA	92.06%

Adults' Access to Preventive/Ambulatory Health Services (AAP)					
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	20-44 years	45-64 years	65+ years	Total
Measurement year	2010				
Data collection methodology (administrative)	A				
Eligible population		1398	496	1	1,895
Numerator events by administrative data		1133	422	1	1,556
Reported rate		81.04%	85.08%	NA	82.11%
Lower 95% confidence interval		78.95%	81.84%	NA	80.36%
Upper 95% confidence interval		83.13%	88.32%	NA	83.86%

Children and Adolescents' Access to Primary Care Practitioners (CAP)					
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	12-24 months	25 months - 6 years	7-11 years	12-19 years
Measurement year	2010				
Data collection methodology (administrative)	A				
Eligible population		1028	2592	437	489
Numerator events by administrative data		983	2122	376	412
Reported rate		95.62%	81.87%	86.04%	84.25%
Lower 95% confidence interval		94.32%	80.36%	82.68%	80.92%
Upper 95% confidence interval		96.92%	83.37%	89.40%	87.58%

Annual Dental Visit (ADV)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Data Element	Measure Data	2-3 Years	4-6 Years	7-10 Years	11-14 Years	15-18 Years	19-21 Years	Total
Measurement year	2010							
Data collection methodology (administrative)	A							
Eligible population		1215	1453	1646	1432	1309	194	7,249
Numerator events by administrative data		457	891	1084	885	675	53	4,045
Reported rate		37.61%	61.32%	65.86%	61.80%	51.57%	27.32%	55.80%
Lower 95% confidence interval		34.85%	58.78%	63.54%	59.25%	48.82%	20.79%	54.65%
Upper 95% confidence interval		40.38%	63.86%	68.18%	64.35%	54.31%	33.85%	56.95%

Initiation and Engagement of AOD Dependence Treatment (IET)							
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)							
Data Elements	General Measure Data	13-17 years		18+ years		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement year	NR						
Data collection methodology (administrative)	NR						
Eligible population		NR		NR		NR	
Numerator events by administrative data		NR	NR	NR	NR	NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Prenatal and Postpartum Care (PPC)		
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)		
Data Element	Timeliness of Prenatal Care	Postpartum Care
Measurement year	2010	2010
Data collection methodology (administrative or hybrid)	H	H
Eligible population	919	919
Number of numerator events by administrative data in eligible population (before exclusions)	259	285
Current year's administrative rate (before exclusions)	28.18%	31.01%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	0.1	0.1
Final sample size (FSS)	453	453
Number of numerator events by administrative data in FSS	131	140
Administrative rate on FSS	28.92%	30.91%
Number of original sample records excluded because of valid data errors	1	1
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	452	452
Numerator events by administrative data	131	140
Numerator events by medical records	260	128
Reported rate	86.50%	59.29%
Lower 95% confidence interval	83.24%	54.65%
Upper 95% confidence interval	89.76%	63.93%

Call Answer Timeliness (CAT)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	15373
Numerator events by administrative data	13402
Reported rate	87.18%
Lower 95% confidence interval	86.65%
Upper 95% confidence interval	87.71%

Call Abandonment (CAB)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative)	A
Eligible population	15373
Numerator events by administrative data	193
Reported rate	1.26%
Lower 95% confidence interval	1.08%
Upper 95% confidence interval	1.43%

Frequency of Ongoing Prenatal Care (FPC)						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
Data Element	General Measure Data	<21 Percent	21-40 Percent	41-60 Percent	61-80 Percent	81+ Percent
Measurement year	2010					
Data collection methodology (administrative or hybrid)	H					
Eligible population	919					
Number of numerator events by administrative data in eligible population (before exclusions)		657	139	56	26	41
Current year's administrative rate (before exclusions)		71.49%	15.13%	6.09%	2.83%	4.46%
Minimum required sample size (MRSS) or other sample size	411					
Oversampling rate	0.1					
Final sample size (FSS)	453					
Number of numerator events by administrative data in FSS		324	66	33	11	19
Administrative rate on FSS		71.52%	14.57%	7.28%	2.43%	4.19%
Number of original sample records excluded because of valid data errors	1					
Number of employee/dependent medical records excluded	0					
Records added from the oversample list	0					
Denominator	452					
Numerator events by administrative data		42	13	9	4	18
Numerator events by medical records		3	5	21	36	301
Reported rate		9.96%	3.98%	6.64%	8.85%	70.58%
Lower 95% confidence interval		7.08%	2.07%	4.23%	6.12%	66.26%
Upper 95% confidence interval		12.83%	5.90%	9.04%	11.58%	74.89%

Well-Child Visits in the First 15 Months of Life (W15)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Data Element	Measure Data	0 visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement year	2010							
Data collection methodology (administrative or hybrid)	H							
Eligible population	604							
Number of numerator events by administrative data in eligible population (before exclusions)		13	20	35	58	101	165	212
Current year's administrative rate (before exclusions)		2.15%	3.31%	5.79%	9.60%	16.72%	27.32%	35.10%
Minimum required sample size (MRSS) or other sample size	411							
Oversampling rate	0.1							
Final sample size (FSS)	453							
Number of numerator events by administrative data in FSS		8	16	29	41	70	130	159
Administrative rate on FSS		1.77%	3.53%	6.40%	9.05%	15.45%	28.70%	35.10%
Number of original sample records excluded because of valid data errors	0							
Number of employee/dependent medical records excluded	0							
Records added from the oversample list	0							
Denominator	453							
Numerator events by administrative data		0	0	0	0	0	0	0
Numerator events by medical records		7	13	21	28	53	96	235
Reported rate		1.55%	2.87%	4.64%	6.18%	11.70%	21.19%	51.88%
Lower 95% confidence interval		0.30%	1.22%	2.59%	3.85%	8.63%	17.32%	47.16%
Upper 95% confidence interval		2.79%	4.52%	6.68%	8.51%	14.77%	25.07%	56.59%

Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative or hybrid)	H
Eligible population	1981
Number of numerator events by administrative data in eligible population (before exclusions)	1010
Current year's administrative rate (before exclusions)	50.98%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	257
Administrative rate on FSS	56.73%
Number of original sample records excluded because of valid data errors	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	453
Numerator events by administrative data	257
Numerator events by medical records	16
Reported rate	60.26%
Lower 95% confidence interval	55.65%
Upper 95% confidence interval	64.88%

Adolescent Well-Care Visits (AWC)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2010
Data collection methodology (administrative or hybrid)	A
Eligible population	2570
Number of numerator events by administrative data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	823
Numerator events by medical records	NR
Reported rate	32.02%
Lower 95% confidence interval	30.20%
Upper 95% confidence interval	33.85%

Ambulatory Care: Total (AMBA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months			
<1	20,586			
1-9	86,961			
10-19	60,894			
20-44	41,345			
45-64	10,276			
65-74	22			
75-84	0			
85+	0			
Unknown	0			
Total	220,084			
Age	Outpatient Visits		ED Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	16120	783.06	1558	75.68
1-9	23479	269.99	3208	36.89
10-19	12238	200.97	2055	33.75
20-44	16029	387.69	3097	74.91
45-64	6287	611.81	831	80.87
65-74	17	772.73	0	0.00
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
Total	74,170	337.01	10,749	48.84

Frequency of Selected Procedures (FSP)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Age	Male	Female	Total	
0-4			66,180	
0-9			107,547	
5-19			102,261	
10-19			60,894	
15-44		45,424		
20-44	10,313	31,032		
30-64	10,935			
45-64	5,315	4,961		
Procedure	Age	Sex	Number of Procedures	Procedures / 1,000 Member Months
Bariatric weight loss surgery	0-19	Male & Female	0	0.00
	20-44		2	0.05
	45-64		0	0.00
Tonsillectomy	0-9	Male & Female	42	0.39
	10-19		32	0.53
Hysterectomy, Abdominal	15-44	Female	17	0.37
	45-64		3	0.60
Hysterectomy, Vaginal	15-44	Female	9	0.20
	45-64		6	1.21
Cholecystectomy, Open	30-64	Male	0	0.00
	15-44	Female	1	0.02
	45-64		0	0.00
Cholecystectomy, Closed	30-64	Male	4	0.37
	15-44	Female	50	1.10
	45-64		7	1.41
Back Surgery	20-44	Male	5	0.48
		Female	6	0.19
	45-64	Male	2	0.38
		Female	3	0.60
Mastectomy	15-44	Female	2	0.04
	45-64		1	0.20
Lumpectomy	15-44	Female	2	0.04
	45-64		4	0.81

Inpatient Utilization--General Hospital/Acute Care: Total (IPUA)
 Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	20,586
1-9	86,961
10-19	60,894
20-44	41,345
45-64	10,276
65-74	22
75-84	0
85+	0
Unknown	0
Total	220,084

Total Inpatient					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	173	8.40	657	31.91	3.80
1-9	185	2.13	579	6.66	3.13
10-19	293	4.81	929	15.26	3.17
20-44	1306	31.59	3629	87.77	2.78
45-64	235	22.87	1304	126.90	5.55
65-74	1	45.45	2	90.91	2.00
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	2,193	9.96	7,100	32.26	3.24

Medicine					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	156	7.58	490	23.80	3.14
1-9	144	1.66	418	4.81	2.90
10-19	68	1.12	306	5.03	4.50
20-44	150	3.63	698	16.88	4.65
45-64	140	13.62	581	56.54	4.15
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	658	2.99	2,493	11.33	3.79

Surgery					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	17	0.83	167	8.11	9.82
1-9	41	0.47	161	1.85	3.93
10-19	38	0.62	196	3.22	5.16
20-44	123	2.97	664	16.06	5.40
45-64	93	9.05	720	70.07	7.74
65-74	1	45.45	2	90.91	2.00
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	313	1.42	1,910	8.68	6.10

Maternity*					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	187	3.07	427	7.01	2.28
20-44	1033	24.98	2267	54.83	2.19
45-64	2	0.19	3	0.29	1.50
Unknown	0		0		NA
Total	1,222	10.86	2,697	23.97	2.21

*The maternity category is calculated using member months for members 10-64 years.

Antibiotic Utilization: Total (ABXA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacy Benefit Member Months			
Age	Male	Female	Total
0-9	54759	52788	107,547
10-17	26628	26353	52,981
18-34	10104	29142	39,246
35-49	4924	8714	13,638
50-64	3705	2945	6,650
65-74	6	16	22
75-84	0	0	0
85+	0	0	0
Unknown	0	0	0
Total	100,126	119,958	220,084

Antibiotic Utilization								
Age	Sex	Total Antibiotic Scripts	Average Scripts PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scripts	Average Days Supplied per Antibiotic Script	Total Number of Scripts for Antibiotics of Concern	Average Scripts PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic Scripts
0-9	M	4581	1.00	40345	8.81	2023	0.44	44.16%
	F	4499	1.02	40794	9.07	1858	0.42	41.30%
	Total	9,080	1.01	81,139	8.94	3,881	0.43	42.74%
10-17	M	1246	0.56	12624	10.13	543	0.24	43.58%
	F	1639	0.75	14848	9.06	691	0.31	42.16%
	Total	2,885	0.65	27,472	9.52	1,234	0.28	42.77%
18-34	M	655	0.78	6290	9.60	269	0.32	41.07%
	F	3621	1.49	30148	8.33	1393	0.57	38.47%
	Total	4,276	1.31	36,438	8.52	1,662	0.51	38.87%
35-49	M	497	1.21	5430	10.93	216	0.53	43.46%
	F	1278	1.76	11048	8.64	597	0.82	46.71%
	Total	1,775	1.56	16,478	9.28	813	0.72	45.80%
50-64	M	404	1.31	4735	11.72	185	0.60	45.79%
	F	480	1.96	4488	9.35	235	0.96	48.96%
	Total	884	1.60	9,223	10.43	420	0.76	47.51%
65-74	M	0	0.00	0	NA	0	0.00	NA
	F	0	0.00	0	NA	0	0.00	NA
	Total	0	0.00	0	NA	0	0.00	NA
75-84	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
85+	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Unknown	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Total	M	7,383	0.88	69,424	9.40	3,236	0.39	43.83%
	F	11,517	1.15	101,326	8.80	4,774	0.48	41.45%
	Total	18,900	1.03	170,750	9.03	8,010	0.44	42.38%

Antibiotics of Concern Utilization															
Age	Sex	Total Quinolone Scripts	Average Scripts PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scripts	Average Scripts PMPY for Cephalosporins 2nd-4th Generation	Total Azithromycin and Clarithromycin Scripts	Average Scripts PMPY for Azithromycins and Clarithromycins	Total Amoxicillin/Clavulanate Scripts	Average Scripts PMPY for Amoxicillin/Clavulanates	Total Ketolides Scripts	Average Scripts PMPY for Ketolides	Total Clindamycin Scripts	Average Scripts PMPY for Clindamycins	Total Misc. Antibiotics of Concern Scripts	Average Scripts PMPY for Misc. Antibiotics of Concern
0-9	M	1	0.00	263	0.06	1167	0.26	581	0.13	0	0.00	11	0.00	0	0.00
	F	1	0.00	237	0.05	1060	0.24	544	0.12	0	0.00	15	0.00	1	0.00
	Total	2	0.00	500	0.06	2,227	0.25	1,125	0.13	0	0.00	26	0.00	1	0.00
10-17	M	4	0.00	34	0.02	355	0.16	126	0.06	0	0.00	23	0.01	1	0.00
	F	43	0.02	36	0.02	413	0.19	163	0.07	0	0.00	36	0.02	0	0.00
	Total	47	0.01	70	0.02	768	0.17	289	0.07	0	0.00	59	0.01	1	0.00
18-34	M	39	0.05	9	0.01	132	0.16	53	0.06	0	0.00	36	0.04	0	0.00
	F	296	0.12	34	0.01	689	0.28	240	0.10	0	0.00	134	0.06	0	0.00
	Total	335	0.10	43	0.01	821	0.25	293	0.09	0	0.00	170	0.05	0	0.00
35-49	M	39	0.10	14	0.03	98	0.24	38	0.09	0	0.00	27	0.07	0	0.00
	F	160	0.22	22	0.03	261	0.36	90	0.12	0	0.00	63	0.09	1	0.00

	Total	199	0.18	36	0.03	359	0.32	128	0.11	0	0.00	90	0.08	1	0.00
50-64	M	66	0.21	5	0.02	74	0.24	26	0.08	0	0.00	13	0.04	1	0.00
	F	75	0.31	4	0.02	88	0.36	31	0.13	0	0.00	36	0.15	1	0.00
	Total	141	0.25	9	0.02	162	0.29	57	0.10	0	0.00	49	0.09	2	0.00
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	149	0.02	325	0.04	1,826	0.22	824	0.10	0	0.00	110	0.01	2	0.00
	F	575	0.06	333	0.03	2,511	0.25	1,068	0.11	0	0.00	284	0.03	3	0.00
	Total	724	0.04	658	0.04	4,337	0.24	1,892	0.10	0	0.00	394	0.02	5	0.00

All Other Antibiotics Utilization

Age	Sex	Total Absorbable Sulfonamide Scrrips	Average Scrrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrrips	Average Scrrips PMPY for Aminoglycosides	Total 1st Generation Cephalosporin Scrrips	Average Scrrips PMPY for 1st Generation Cephalosporins	Total Lincosamide Scrrips	Average Scrrips PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scrrips	Average Scrrips PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scrrips	Average Scrrips PMPY for Penicillins	Total Tetracycline Scrrips	Average Scrrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrrips	Average Scrrips PMPY for Misc. Antibiotics
0-9	M	230	0.05	0	0.00	268	0.06	0	0.00	6	0.00	2048	0.45	0	0.00	6	0.00
	F	278	0.06	0	0.00	329	0.07	0	0.00	15	0.00	1988	0.45	1	0.00	30	0.01
	Total	508	0.06	0	0.00	597	0.07	0	0.00	21	0.00	4,036	0.45	1	0.00	36	0.00
10-17	M	77	0.03	0	0.00	146	0.07	0	0.00	12	0.01	359	0.16	102	0.05	7	0.00
	F	131	0.06	0	0.00	162	0.07	0	0.00	8	0.00	448	0.20	102	0.05	97	0.04
	Total	208	0.05	0	0.00	308	0.07	0	0.00	20	0.00	807	0.18	204	0.05	104	0.02
18-34	M	56	0.07	0	0.00	79	0.09	0	0.00	4	0.00	155	0.18	83	0.10	9	0.01
	F	254	0.10	0	0.00	380	0.16	0	0.00	16	0.01	680	0.28	214	0.09	684	0.28
	Total	310	0.09	0	0.00	459	0.14	0	0.00	20	0.01	835	0.26	297	0.09	693	0.21
35-49	M	56	0.14	0	0.00	58	0.14	0	0.00	5	0.01	106	0.26	44	0.11	12	0.03
	F	96	0.13	0	0.00	125	0.17	0	0.00	6	0.01	231	0.32	77	0.11	146	0.20
	Total	152	0.13	0	0.00	183	0.16	0	0.00	11	0.01	337	0.30	121	0.11	158	0.14
50-64	M	70	0.23	0	0.00	52	0.17	0	0.00	0	0.00	60	0.19	18	0.06	19	0.06
	F	49	0.20	0	0.00	55	0.22	0	0.00	3	0.01	76	0.31	27	0.11	35	0.14
	Total	119	0.21	0	0.00	107	0.19	0	0.00	3	0.01	136	0.25	45	0.08	54	0.10
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	489	0.06	0	0.00	603	0.07	0	0.00	27	0.00	2,728	0.33	247	0.03	53	0.01
	F	808	0.08	0	0.00	1,051	0.11	0	0.00	48	0.00	3,423	0.34	421	0.04	992	0.10
	Total	1,297	0.07	0	0.00	1,654	0.09	0	0.00	75	0.00	6,151	0.34	668	0.04	1,045	0.06

Enrollment by Product Line: Total (ENPA)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	10386	10200	20,586
1-4	23479	22115	45,594
5-9	20894	20473	41,367
10-14	17243	16769	34,012
15-17	9385	9584	18,969
18-19	3105	4808	7,913
0-19 Subtotal	84,492	83,949	168,441
0-19 Subtotal: %	84.39%	69.98%	76.53%
20-24	2206	9451	11,657
25-29	2487	8626	11,113
30-34	2306	6257	8,563
35-39	1750	4027	5,777
40-44	1564	2671	4,235
20-44 Subtotal	10,313	31,032	41,345
20-44 Subtotal: %	10.30%	25.87%	18.79%
45-49	1610	2016	3,626
50-54	1562	1423	2,985
55-59	1276	992	2,268
60-64	867	530	1,397
45-64 Subtotal	5,315	4,961	10,276
45-64 Subtotal: %	5.31%	4.14%	4.67%
65-69	6	16	22
70-74	0	0	0
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	6	16	22
>=65 Subtotal: %	0.01%	0.01%	0.01%
Age Unknown	0	0	0
Total	100,126	119,958	220,084

Enrollment by State (EBS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
State	Number
Alabama	0
Alaska	0
Arizona	37
Arkansas	0
California	3
Colorado	9
Connecticut	0
Delaware	0
District of Columbia	0
Florida	0
Georgia	0
Hawaii	0
Idaho	1
Illinois	0
Indiana	0
Iowa	0
Kansas	2
Kentucky	0
Louisiana	0
Maine	0
Maryland	1
Massachusetts	0
Michigan	1
Minnesota	1
Mississippi	0
Missouri	0
Montana	0
Nebraska	0
Nevada	2
New Hampshire	0
New Jersey	1
New Mexico	21822
New York	0
North Carolina	0
North Dakota	0
Ohio	0
Oklahoma	0
Oregon	2
Pennsylvania	2
Rhode Island	0
South Carolina	0
South Dakota	0
Tennessee	0
Texas	14
Utah	2
Vermont	0
Virginia	0
Washington	1
West Virginia	0
Wisconsin	0
Wyoming	0
American Samoa	0
Federated States of Micronesia	0
Guam	0
Commonwealth of Northern Marianas	0
Puerto Rico	0
Virgin Islands	0
Other	0
TOTAL	21,901

Weeks of Pregnancy at Time of Enrollment in MCO (WOP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Measurement Year		
Measurement Year	2010	
Weeks of Pregnancy	Number	Percentage
< 0 weeks	172	15.15%
1-12 weeks	91	8.02%
13-27 weeks	547	48.19%
28 or more weeks	252	22.20%
Unknown	73	6.43%
Total	1,135	100.00%

Total Membership (TLM)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Product/Product Line	Total Number of Members*
HMO (Total)	21,432
Medicaid	21432
Commercial	0
Medicare (cost or risk)	0
Other	0
PPO (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
POS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
FFS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
Total	21,432
* Total number of members in each category as of December 31 of the measurement year.	

Relative Resource Use for People With Diabetes (RDI)
 Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population	
Category	Eligible Population
Total	156
Exclusions (required)	4
Type 1 with Comorbidity	13
Type 2 with Comorbidity	77
Type 1 without Comorbidity	5
Type 2 without Comorbidity	61

Medical Benefit Member Months												
Age	Member Months (Diabetes Type 1 with Comorbidity)			Member Months (Diabetes Type 1 without Comorbidity)			Member Months (Diabetes Type 2 with Comorbidity)			Member Months (Diabetes Type 2 without Comorbidity)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
18-44*	12	36	48	48	12	60	106	191	297	59	324	383
45-54	12	36	48	0	0	0	96	215	311	105	84	189
55-64	60	0	60	0	0	0	190	120	310	83	72	155
65-75	0	0	0	0	0	0	0	0	0	0	0	0
Total	84	72	156	48	12	60	392	526	918	247	480	727

* Include any Member Months that occur at age 17 in the 18-44 category.

Pharmacy Benefit Member Months												
Age	Member Months (Diabetes Type 1 with Comorbidity)			Member Months (Diabetes Type 1 without Comorbidity)			Member Months (Diabetes Type 2 with Comorbidity)			Member Months (Diabetes Type 2 without Comorbidity)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
18-44	12	36	48	48	12	60	106	191	297	59	324	383
45-54	12	36	48	0	0	0	96	215	311	105	84	189
55-64	60	0	60	0	0	0	190	120	310	83	72	155
65-75	0	0	0	0	0	0	0	0	0	0	0	0
Total	84	72	156	48	12	60	392	526	918	247	480	727

Diabetes Type 1 with Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	2342	0	100	3528	0	0
	F	24490	1645	6840	268	3089	12692	3	6
	Total	\$24,490.00	\$1,645.00	\$9,182.00	\$268.00	\$3,189.00	\$16,220.00	3	6
45-54	M	0	0	46	0	105	3622	0	1
	F	0	0	3734	0	86	6086	0	2
	Total	\$0.00	\$0.00	\$3,780.00	\$0.00	\$191.00	\$9,708.00	0	3
55-64	M	9432	474	6733	0	4754	18550	1	2
	F	0	0	0	0	0	0	0	0
	Total	\$9,432.00	\$474.00	\$6,733.00	\$0.00	\$4,754.00	\$18,550.00	1	2
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$9,432.00	\$474.00	\$9,121.00	\$0.00	\$4,959.00	\$25,700.00	1	3
	F	\$24,490.00	\$1,645.00	\$10,574.00	\$268.00	\$3,175.00	\$18,778.00	3	8
	Total	\$33,922.00	\$2,119.00	\$19,695.00	\$268.00	\$8,134.00	\$44,478.00	4	11

Diabetes Type 1 without Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	75000	2500	1183	5287	6478	11941	7	1
	F	0	0	532	0	8	3765	0	0
	Total	\$75,000.00	\$2,500.00	\$1,715.00	\$5,287.00	\$6,486.00	\$15,706.00	7	1
45-54	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$75,000.00	\$2,500.00	\$1,183.00	\$5,287.00	\$6,478.00	\$11,941.00	7	1
	F	\$0.00	\$0.00	\$532.00	\$0.00	\$8.00	\$3,765.00	0	0
	Total	\$75,000.00	\$2,500.00	\$1,715.00	\$5,287.00	\$6,486.00	\$15,706.00	7	1
Diabetes Type 2 with Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	4308	0	7501	0	9622	24475	1	9
	F	61045	2921	14579	2817	9094	43518	8	23
	Total	\$65,353.00	\$2,921.00	\$22,080.00	\$2,817.00	\$18,716.00	\$67,993.00	9	32
45-54	M	27430	3017	10252	0	21385	27606	3	23
	F	237994	10865	24896	7508	19059	68749	14	29
	Total	\$265,424.00	\$13,882.00	\$35,148.00	\$7,508.00	\$40,444.00	\$96,355.00	17	52
55-64	M	121551	6495	16505	10294	23814	32096	7	19
	F	19052	1484	9064	0	8018	32486	2	7
	Total	\$140,603.00	\$7,979.00	\$25,569.00	\$10,294.00	\$31,832.00	\$64,582.00	9	26
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$153,289.00	\$9,512.00	\$34,258.00	\$10,294.00	\$54,821.00	\$84,177.00	11	51
	F	\$318,091.00	\$15,270.00	\$48,539.00	\$10,325.00	\$36,171.00	\$144,753.00	24	59
	Total	\$471,380.00	\$24,782.00	\$82,797.00	\$20,619.00	\$90,992.00	\$228,930.00	35	110

Diabetes Type 2 without Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	2650	0	71	1129	0	3
	F	61928	3282	22861	0	17615	41762	8	40
	Total	\$61,928.00	\$3,282.00	\$25,511.00	\$0.00	\$17,686.00	\$42,891.00	8	43
45-54	M	105532	4192	4073	673	9372	12655	4	10
	F	33721	1902	3810	111	1018	10863	3	6
	Total	\$139,253.00	\$6,094.00	\$7,883.00	\$784.00	\$10,390.00	\$23,518.00	7	16
55-64	M	66378	3000	5754	4991	11080	7358	2	7
	F	0	0	4181	0	1014	8942	0	1
	Total	\$66,378.00	\$3,000.00	\$9,935.00	\$4,991.00	\$12,094.00	\$16,300.00	2	8
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$171,910.00	\$7,192.00	\$12,477.00	\$5,664.00	\$20,523.00	\$21,142.00	6	20
	F	\$95,649.00	\$5,184.00	\$30,852.00	\$111.00	\$19,647.00	\$61,567.00	11	47
	Total	\$267,559.00	\$12,376.00	\$43,329.00	\$5,775.00	\$40,170.00	\$82,709.00	17	67
Diabetes Totals									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM	Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/ 1,000 Member Years	ED Visits/1,000 Member Years
18-44	M	\$352.48	\$11.11	\$60.78	\$23.50	\$72.32	\$182.55	426.67	693.33
	F	\$261.92	\$13.94	\$79.60	\$5.48	\$52.94	\$180.71	404.97	1,470.69
	Total	\$287.78	\$13.13	\$74.22	\$10.62	\$58.47	\$181.23	411.17	1,248.73
45-54	M	\$624.23	\$33.85	\$67.47	\$3.16	\$144.89	\$206.02	394.37	1,915.49
	F	\$811.09	\$38.11	\$96.84	\$22.74	\$60.19	\$255.81	608.96	1,325.37
	Total	\$738.46	\$36.45	\$85.42	\$15.13	\$93.11	\$236.46	525.55	1,554.74
55-64	M	\$592.68	\$29.94	\$87.06	\$45.90	\$119.06	\$174.19	360.36	1,009.01
	F	\$99.23	\$7.73	\$68.98	\$0.00	\$47.04	\$215.77	125.00	500.00
	Total	\$412.22	\$21.82	\$80.45	\$29.11	\$92.72	\$189.39	274.29	822.86
65-75	M	NA	NA	NA	NA	NA	NA	NA	NA
	F	NA	NA	NA	NA	NA	NA	NA	NA
	Total	NA	NA	NA	NA	NA	NA	NA	NA
Total	M	\$531.30	\$25.52	\$73.98	\$27.56	\$112.56	\$185.42	389.11	1,167.32
	F	\$402.05	\$20.27	\$83.02	\$9.82	\$54.13	\$209.97	418.35	1,255.05
	Total	\$455.59	\$22.45	\$79.28	\$17.17	\$78.34	\$199.80	406.23	1,218.70

Relative Resource Use for People With Asthma (RAS)
 Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population	
Category	Eligible Population
Total	36
Exclusions (required)	0
With Comorbidity	8
Without Comorbidity	28

Medical and Pharmacy Benefit Member Months												
Age	Medical Benefit Member Months						Pharmacy Benefit Member Months					
	Member Months (Asthma with Comorbidity)			Member Months (Asthma without Comorbidity)			Member Months (Asthma with Comorbidity)			Member Months (Asthma without Comorbidity)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
5-17*	12	0	12	204	132	336	12	0	12	204	132	336
18-44	12	48	60	0	0	0	12	48	60	0	0	0
45-50	12	12	24	0	0	0	12	12	24	0	0	0
Total	36	60	96	204	132	336	36	60	96	204	132	336

* Include any Member Months that occur at age 4 in the 5-17 age category.

Asthma with Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
5-17	M	0	0	1341	0	8	2851	0	1
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$1,341.00	\$0.00	\$8.00	\$2,851.00	0	1
18-44	M	0	0	1066	0	275	2975	0	1
	F	0	0	3705	0	1849	14874	0	14
	Total	\$0.00	\$0.00	\$4,771.00	\$0.00	\$2,124.00	\$17,849.00	0	15
45-50	M	0	0	46	0	105	3622	0	1
	F	0	0	1413	0	1252	1582	0	0
	Total	\$0.00	\$0.00	\$1,459.00	\$0.00	\$1,357.00	\$5,204.00	0	1
Total	M	\$0.00	\$0.00	\$2,453.00	\$0.00	\$388.00	\$9,448.00	0	3
	F	\$0.00	\$0.00	\$5,118.00	\$0.00	\$3,101.00	\$16,456.00	0	14
	Total	\$0.00	\$0.00	\$7,571.00	\$0.00	\$3,489.00	\$25,904.00	0	17

Asthma without Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
5-17	M	5206	550	7581	0	1953	19316	1	13
	F	0	0	6784	443	5097	14136	0	10
	Total	\$5,206.00	\$550.00	\$14,365.00	\$443.00	\$7,050.00	\$33,452.00	1	23
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-50	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$5,206.00	\$550.00	\$7,581.00	\$0.00	\$1,953.00	\$19,316.00	1	13
	F	\$0.00	\$0.00	\$6,784.00	\$443.00	\$5,097.00	\$14,136.00	0	10
	Total	\$5,206.00	\$550.00	\$14,365.00	\$443.00	\$7,050.00	\$33,452.00	1	23
Asthma Totals									
Age	Sex	Total standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM	Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/1,000 Member Years	ED Visits/1,000 Member Years
5-17	M	\$24.10	\$2.55	\$41.31	\$0.00	\$9.08	\$102.63	55.56	777.78
	F	\$0.00	\$0.00	\$51.39	\$3.36	\$38.61	\$107.09	0.00	909.09
	Total	\$14.96	\$1.58	\$45.13	\$1.27	\$20.28	\$104.32	34.48	827.59
18-44	M	\$0.00	\$0.00	\$88.83	\$0.00	\$22.92	\$247.92	0.00	1,000.00
	F	\$0.00	\$0.00	\$77.19	\$0.00	\$38.52	\$309.88	0.00	3,500.00
	Total	\$0.00	\$0.00	\$79.52	\$0.00	\$35.40	\$297.48	0.00	3,000.00
45-50	M	\$0.00	\$0.00	\$3.83	\$0.00	\$8.75	\$301.83	0.00	1,000.00
	F	\$0.00	\$0.00	\$117.75	\$0.00	\$104.33	\$131.83	0.00	0.00
	Total	\$0.00	\$0.00	\$60.79	\$0.00	\$56.54	\$216.83	0.00	500.00
Total	M	\$21.69	\$2.29	\$41.81	\$0.00	\$9.75	\$119.85	50.00	800.00
	F	\$0.00	\$0.00	\$61.99	\$2.31	\$42.70	\$159.33	0.00	1,500.00
	Total	\$12.05	\$1.27	\$50.78	\$1.03	\$24.40	\$137.40	27.78	1,111.11

Relative Resource Use for People With Acute Lower Back Pain (RLB)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population	
Category	Eligible Population
Total	72
Exclusions (required)	2

Medical and Pharmacy Benefit Member Months						
Age	Medical Benefit Member Months (Acute Low Back Pain)			Pharmacy Benefit Member Months (Acute Low Back Pain)		
	Male	Female	Total	Male	Female	Total
18-44*	38	90	128	38	90	128
45-50	4	12	16	4	12	16
Total	42	102	144	42	102	144

* Include any Member Months that occur at age 17 in the 18-44 age category.

Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender		
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits	MRIs
18-44	M	0	0	2910	0	8	2373	0	6	4
	F	0	0	4407	0	20	1526	0	11	1
	Total	\$0.00	\$0.00	\$7,317.00	\$0.00	\$28.00	\$3,899.00	0	17	5
45-50	M	0	0	338	0	0	131	0	0	0
	F	0	0	661	0	77	315	0	1	1
	Total	\$0.00	\$0.00	\$999.00	\$0.00	\$77.00	\$446.00	0	1	1
Total	M	\$0.00	\$0.00	\$3,248.00	\$0.00	\$8.00	\$2,504.00	0	6	4
	F	\$0.00	\$0.00	\$5,068.00	\$0.00	\$97.00	\$1,841.00	0	12	2
	Total	\$0.00	\$0.00	\$8,316.00	\$0.00	\$105.00	\$4,345.00	0	18	6

Low Back Pain Totals										
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender		
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM	Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/1,000 Member Years	ED Visits/1,000 Member Years	MRIs/1,000 Member Years
18-44	M	\$0.00	\$0.00	\$76.58	\$0.00	\$0.21	\$62.45	0.00	1,894.74	1,263.16
	F	\$0.00	\$0.00	\$48.97	\$0.00	\$0.22	\$16.96	0.00	1,466.67	133.33
	Total	\$0.00	\$0.00	\$57.16	\$0.00	\$0.22	\$30.46	0.00	1,593.75	468.75
45-50	M	\$0.00	\$0.00	\$84.50	\$0.00	\$0.00	\$32.75	0.00	0.00	0.00
	F	\$0.00	\$0.00	\$55.08	\$0.00	\$6.42	\$26.25	0.00	1,000.00	1,000.00
	Total	\$0.00	\$0.00	\$62.44	\$0.00	\$4.81	\$27.88	0.00	750.00	750.00
Total	M	\$0.00	\$0.00	\$77.33	\$0.00	\$0.19	\$59.62	0.00	1,714.29	1,142.86
	F	\$0.00	\$0.00	\$49.69	\$0.00	\$0.95	\$18.05	0.00	1,411.76	235.29
	Total	\$0.00	\$0.00	\$57.75	\$0.00	\$0.73	\$30.17	0.00	1,500.00	500.00

Relative Resource Use for People With Cardiovascular Conditions (RCA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population			
Category	Eligible Population	Category	Eligible Population
Total	3		
Exclusions (required)	0		
CHF With Comorbidity	0	Angina With Comorbidity	0
CHF Without Comorbidity	0	Angina Without Comorbidity	0
AMI With Comorbidity	1	CAD With Comorbidity	2
AMI Without Comorbidity	0	CAD Without Comorbidity	0

Medical Benefit Member Months

Age	Member Months (CHF With Comorbidity)			Member Months (CHF Without Comorbidity)			Member Months (AMI With Comorbidity)			Member Months (AMI Without Comorbidity)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
18-44	0	0	0	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	12	12	0	0	0
55-64	0	0	0	0	0	0	0	0	0	0	0	0
65-75	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	12	12	0	0	0

Age	Member Months (Angina With Comorbidity)			Member Months (Angina Without Comorbidity)			Member Months (CAD With Comorbidity)			Member Months (CAD Without Comorbidity)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
18-44	0	0	0	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	12	12	24	0	0	0
55-64	0	0	0	0	0	0	0	0	0	0	0	0
65-75	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	12	12	24	0	0	0

Pharmacy Benefit Member Months

Age	Member Months (CHF With Comorbidity)			Member Months (CHF Without Comorbidity)			Member Months (AMI With Comorbidity)			Member Months (AMI Without Comorbidity)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
18-44	0	0	0	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	12	12	0	0	0
55-64	0	0	0	0	0	0	0	0	0	0	0	0
65-75	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	12	12	0	0	0

Age	Member Months (Angina With Comorbidity)			Member Months (Angina Without Comorbidity)			Member Months (CAD With Comorbidity)			Member Months (CAD Without Comorbidity)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
18-44	0	0	0	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	12	12	24	0	0	0
55-64	0	0	0	0	0	0	0	0	0	0	0	0
65-75	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	12	12	24	0	0	0

CHF with Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-54	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	F	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
CHF without Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-54	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	F	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0

AMI with Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-54	M	0	0	0	0	0	0	0	0
	F	0	0	346	0	12	3477	0	0
	Total	\$0.00	\$0.00	\$346.00	\$0.00	\$12.00	\$3,477.00	0	0
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	F	\$0.00	\$0.00	\$346.00	\$0.00	\$12.00	\$3,477.00	0	0
	Total	\$0.00	\$0.00	\$346.00	\$0.00	\$12.00	\$3,477.00	0	0
AMI without Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-54	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	F	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0

Angina with Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-54	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	F	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Angina without Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-54	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	F	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0

CAD with Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-54	M	0	0	972	0	32	3252	0	0
	F	3977	192	652	0	16	6632	1	1
	Total	\$3,977.00	\$192.00	\$1,624.00	\$0.00	\$48.00	\$9,884.00	1	1
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$0.00	\$0.00	\$972.00	\$0.00	\$32.00	\$3,252.00	0	0
	F	\$3,977.00	\$192.00	\$652.00	\$0.00	\$16.00	\$6,632.00	1	1
	Total	\$3,977.00	\$192.00	\$1,624.00	\$0.00	\$48.00	\$9,884.00	1	1
CAD without Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-54	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
55-64	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
65-75	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	F	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0

Cardiovascular Conditions Totals									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM	Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/1,000 Member Years	ED Visits/1,000 Member Years
18-44	M	NA	NA	NA	NA	NA	NA	NA	NA
	F	NA	NA	NA	NA	NA	NA	NA	NA
	Total	NA	NA	NA	NA	NA	NA	NA	NA
45-54	M	\$0.00	\$0.00	\$81.00	\$0.00	\$2.67	\$271.00	0.00	0.00
	F	\$165.71	\$8.00	\$41.58	\$0.00	\$1.17	\$421.21	500.00	500.00
	Total	\$110.47	\$5.33	\$54.72	\$0.00	\$1.67	\$371.14	333.33	333.33
55-64	M	NA	NA	NA	NA	NA	NA	NA	NA
	F	NA	NA	NA	NA	NA	NA	NA	NA
	Total	NA	NA	NA	NA	NA	NA	NA	NA
65-75	M	NA	NA	NA	NA	NA	NA	NA	NA
	F	NA	NA	NA	NA	NA	NA	NA	NA
	Total	NA	NA	NA	NA	NA	NA	NA	NA
Total	M	\$0.00	\$0.00	\$81.00	\$0.00	\$2.67	\$271.00	0.00	0.00
	F	\$165.71	\$8.00	\$41.58	\$0.00	\$1.17	\$421.21	500.00	500.00
	Total	\$110.47	\$5.33	\$54.72	\$0.00	\$1.67	\$371.14	333.33	333.33

Relative Resource Use for People With Hypertension (RHY)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Medical and Pharmacy Benefit Member Months	
Category	Eligible Population
Total	76
Exclusions (required)	124

Medical and Pharmacy Benefit Member Months						
Age	Medical Benefit Member Months			Pharmacy Benefit Member Months		
	Male	Female	Total	Male	Female	Total
18-44	179	215	394	179	215	394
45-54	95	165	260	95	165	260
55-64	168	71	239	168	71	239
65-85	0	12	12	0	12	12
Total	442	463	905	442	463	905

Uncomplicated Hypertension									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
18-44	M	81750	3706	9265	1697	894	13974	8	20
	F	70299	1811	21977	6409	23923	53110	7	28
	Total	\$152,049.00	\$5,517.00	\$31,242.00	\$8,106.00	\$24,817.00	\$67,084.00	15	48
45-54	M	14749	1329	4021	0	11397	4147	1	3
	F	18261	0	12512	4932	8679	22539	2	7
	Total	\$33,010.00	\$1,329.00	\$16,533.00	\$4,932.00	\$20,076.00	\$26,686.00	3	10
55-64	M	22788	1487	15189	268	16633	10729	3	42
	F	0	0	5903	0	5069	13065	0	5
	Total	\$22,788.00	\$1,487.00	\$21,092.00	\$268.00	\$21,702.00	\$23,794.00	3	47
65-85	M	0	0	0	0	0	0	0	0
	F	0	0	1031	0	422	1893	0	0
	Total	\$0.00	\$0.00	\$1,031.00	\$0.00	\$422.00	\$1,893.00	0	0
Total	M	\$119,287.00	\$6,522.00	\$28,475.00	\$1,965.00	\$28,924.00	\$28,850.00	12	65
	F	\$88,560.00	\$1,811.00	\$41,423.00	\$11,341.00	\$38,093.00	\$90,607.00	9	40
	Total	\$207,847.00	\$8,333.00	\$69,898.00	\$13,306.00	\$67,017.00	\$119,457.00	21	105

Uncomplicated Hypertension Totals									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM	Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/ 1,000 Member Years	ED Visits/ 1,000 Member Years
18-44	M	\$456.70	\$20.70	\$51.76	\$9.48	\$4.99	\$78.07	536.31	1,340.78
	F	\$326.97	\$8.42	\$102.22	\$29.81	\$111.27	\$247.02	390.70	1,562.79
	Total	\$385.91	\$14.00	\$79.29	\$20.57	\$62.99	\$170.26	456.85	1,461.93
45-54	M	\$155.25	\$13.99	\$42.33	\$0.00	\$119.97	\$43.65	126.32	378.95
	F	\$110.67	\$0.00	\$75.83	\$29.89	\$52.60	\$136.60	145.45	509.09
	Total	\$126.96	\$5.11	\$63.59	\$18.97	\$77.22	\$102.64	138.46	461.54
55-64	M	\$135.64	\$8.85	\$90.41	\$1.60	\$99.01	\$63.86	214.29	3,000.00
	F	\$0.00	\$0.00	\$83.14	\$0.00	\$71.39	\$184.01	0.00	845.07
	Total	\$95.35	\$6.22	\$88.25	\$1.12	\$90.80	\$99.56	150.63	2,359.83
65-85	M	NA	NA	NA	NA	NA	NA	NA	NA
	F	\$0.00	\$0.00	\$85.92	\$0.00	\$35.17	\$157.75	0.00	0.00
	Total	\$0.00	\$0.00	\$85.92	\$0.00	\$35.17	\$157.75	0.00	0.00
Total	M	\$269.88	\$14.76	\$64.42	\$4.45	\$65.44	\$65.27	325.79	1,764.71
	F	\$191.27	\$3.91	\$89.47	\$24.49	\$82.27	\$195.70	233.26	1,036.72
	Total	\$229.67	\$9.21	\$77.24	\$14.70	\$74.05	\$132.00	278.45	1,392.27

Relative Resource Use for People With COPD (RCO)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population												
Category	Eligible Population											
Total	55											
Exclusions (required)	4											
With Comorbidity	32											
Without Comorbidity	23											
Age	Member Benefit Member Months						Pharmacy Benefit Member Months					
	Member Months (With Comorbidity)			Member Months (Without Comorbidity)			Member Months (With Comorbidity)			Member Months (Without Comorbidity)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
42-44	12	36	48	0	0	0	12	36	48	0	0	0
45-64	144	190	334	165	108	273	144	190	334	165	108	273
65-74	0	0	0	0	0	0	0	0	0	0	0	0
75+	0	0	0	0	0	0	0	0	0	0	0	0
Total	156	226	382	165	108	273	156	226	382	165	108	273
COPD with Comorbidity												
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender				
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits			
42-44	M	14370	904	1978	0	149	2517	1	5			
	F	112581	5145	5427	12931	975	20979	9	6			
	Total	\$126,951.00	\$6,049.00	\$7,405.00	\$12,931.00	\$1,124.00	\$23,496.00	10	11			
45-64	M	187423	11595	19992	8474	4990	58024	15	24			
	F	206166	9201	19237	12719	14585	68170	15	38			
	Total	\$393,589.00	\$20,796.00	\$39,229.00	\$21,193.00	\$19,575.00	\$126,194.00	30	62			
65-74	M	0	0	0	0	0	0	0	0			
	F	0	0	0	0	0	0	0	0			
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0			
75+	M	0	0	0	0	0	0	0	0			
	F	0	0	0	0	0	0	0	0			
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0			
Total	M	\$201,793.00	\$12,499.00	\$21,970.00	\$8,474.00	\$5,139.00	\$60,541.00	16	29			
	F	\$318,747.00	\$14,346.00	\$24,664.00	\$25,650.00	\$15,560.00	\$89,149.00	24	44			
	Total	\$520,540.00	\$26,845.00	\$46,634.00	\$34,124.00	\$20,699.00	\$149,690.00	40	73			

COPD without Comorbidity									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient	Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
42-44	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
45-64	M	119192	3242	10962	5088	13529	18049	6	23
	F	7842	0	4884	1788	3384	9572	1	3
	Total	\$127,034.00	\$3,242.00	\$15,846.00	\$6,876.00	\$16,913.00	\$27,621.00	7	26
65-74	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
75+	M	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0	0
Total	M	\$119,192.00	\$3,242.00	\$10,962.00	\$5,088.00	\$13,529.00	\$18,049.00	6	23
	F	\$7,842.00	\$0.00	\$4,884.00	\$1,788.00	\$3,384.00	\$9,572.00	1	3
	Total	\$127,034.00	\$3,242.00	\$15,846.00	\$6,876.00	\$16,913.00	\$27,621.00	7	26
COPD Totals									
Age	Sex	Total Standard Cost by Service Category, Age, and Gender						Total Service Frequency by Service Category, Age, and Gender	
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM	Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/ 1,000 Member Years	ED Visits/ 1,000 Member Years
42-44	M	\$1,197.50	\$75.33	\$164.83	\$0.00	\$12.42	\$209.75	1,000.00	5,000.00
	F	\$3,127.25	\$142.92	\$150.75	\$359.19	\$27.08	\$582.75	3,000.00	2,000.00
	Total	\$2,644.81	\$126.02	\$154.27	\$269.40	\$23.42	\$489.50	2,500.00	2,750.00
45-64	M	\$992.28	\$48.02	\$100.17	\$43.89	\$59.93	\$246.19	815.53	1,825.24
	F	\$718.15	\$30.88	\$80.94	\$48.68	\$60.30	\$260.88	644.30	1,651.01
	Total	\$857.70	\$39.60	\$90.73	\$46.24	\$60.11	\$253.40	731.47	1,739.70
65-74	M	NA	NA	NA	NA	NA	NA	NA	NA
	F	NA	NA	NA	NA	NA	NA	NA	NA
	Total	NA	NA	NA	NA	NA	NA	NA	NA
75+	M	NA	NA	NA	NA	NA	NA	NA	NA
	F	NA	NA	NA	NA	NA	NA	NA	NA
	Total	NA	NA	NA	NA	NA	NA	NA	NA
Total	M	\$999.95	\$49.04	\$102.59	\$42.25	\$58.16	\$244.83	822.43	1,943.93
	F	\$977.81	\$42.95	\$88.47	\$82.15	\$56.72	\$295.57	898.20	1,688.62
	Total	\$988.66	\$45.93	\$95.39	\$62.60	\$57.42	\$270.70	861.07	1,813.74