

Audit Review Table

Molina Healthcare of New Mexico (Org ID: 955, SubID: 4112, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2010

The Plan lock has been applied to this submission.

| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
|--|----------------|-----------------|-----------------|--------|------------|------------|
| Effectiveness of Care: Prevention and Screening | | | | | | |
| Adult BMI Assessment (aba) | Y | | | 47.45% | R | Reportable |
| Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc) | Y | | | | | |
| <i>BMI Percentile</i> | | | | 22.08% | R | Reportable |
| <i>Counseling for Nutrition</i> | | | | 38.85% | R | Reportable |
| <i>Counseling for Physical Activity</i> | | | | 28.70% | R | Reportable |
| Childhood Immunization Status (cis) | Y | | N | | | |
| <i>DTaP</i> | | | | 81.42% | R | Reportable |
| <i>IPV</i> | | | | 92.04% | R | Reportable |
| <i>MMR</i> | | | | 92.70% | R | Reportable |
| <i>HiB</i> | | | | 92.48% | R | Reportable |
| <i>Hepatitis B</i> | | | | 90.71% | R | Reportable |
| <i>VZV</i> | | | | 92.48% | R | Reportable |
| <i>Pneumococcal Conjugate</i> | | | | 81.42% | R | Reportable |
| <i>Hepatitis A</i> | | | | 37.83% | R | Reportable |
| <i>Rotavirus</i> | | | | 80.09% | R | Reportable |
| <i>Influenza</i> | | | | 44.47% | R | Reportable |
| <i>Combination #2</i> | | | | 76.77% | R | Reportable |
| <i>Combination #3</i> | | | | 72.57% | R | Reportable |
| <i>Combination #4</i> | | | | 32.96% | R | Reportable |
| <i>Combination #5</i> | | | | 65.93% | R | Reportable |
| <i>Combination #6</i> | | | | 38.05% | R | Reportable |
| <i>Combination #7</i> | | | | 30.31% | R | Reportable |
| <i>Combination #8</i> | | | | 20.13% | R | Reportable |
| <i>Combination #9</i> | | | | 36.06% | R | Reportable |
| <i>Combination #10</i> | | | | 19.25% | R | Reportable |
| Immunizations for Adolescents (ima) | Y | | | | | |
| <i>Meningococcal</i> | | | | 51.33% | R | Reportable |
| <i>Tdap/Td</i> | | | | 67.26% | R | Reportable |

| | | | | | | |
|---|---|---|---|--------|---|---------------------------|
| <i>Combination #1</i> | | | | 49.12% | R | Reportable |
| Lead Screening in Children (lsc) | Y | | N | 27.88% | R | Reportable |
| Breast Cancer Screening (bcs) | Y | | | 53.15% | R | Reportable |
| Cervical Cancer Screening (ccs) | Y | | | 69.87% | R | Reportable |
| Chlamydia Screening in Women (chl) | Y | | | | | |
| <i>16-20 Years</i> | | | | 46.09% | R | Reportable |
| <i>21-24 Years</i> | | | | 58.90% | R | Reportable |
| <i>Total</i> | | | | 50.11% | R | Reportable |
| Effectiveness of Care: Respiratory Conditions | | | | | | |
| Appropriate Testing for Children with Pharyngitis (cwp) | Y | Y | | 54.02% | R | Reportable |
| Appropriate Treatment for Children With URI (uri) | Y | Y | | 83.22% | R | Reportable |
| Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab) | Y | Y | | 14.39% | R | Reportable |
| Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr) | Y | | | 27.63% | R | Reportable |
| Pharmacotherapy Management of COPD Exacerbation (pce) | Y | Y | | | | |
| <i>Systemic Corticosteroid</i> | | | | 69.57% | R | Reportable |
| <i>Bronchodilator</i> | | | | 78.26% | R | Reportable |
| Use of Appropriate Medications for People With Asthma (asm) | Y | Y | | | | |
| <i>5-11 Years</i> | | | | 91.38% | R | Reportable |
| <i>12-50 Years</i> | | | | 82.47% | R | Reportable |
| <i>Total</i> | | | | 86.87% | R | Reportable |
| Effectiveness of Care: Cardiovascular | | | | | | |
| Cholesterol Management for Patients With Cardiovascular Conditions (cmc) | Y | | N | | | |
| <i>LDL-C Screening Performed</i> | | | | 81.58% | R | Reportable |
| <i>LDL-C Control (<100 mg/dL)</i> | | | | 50.88% | R | Reportable |
| Controlling High Blood Pressure (cbp) | Y | | | 48.45% | R | Reportable |
| Persistence of Beta-Blocker Treatment After a Heart Attack (pbh) | Y | Y | | NA | R | Denominator fewer than 30 |
| Effectiveness of Care: Diabetes | | | | | | |
| Comprehensive Diabetes Care (cdc) | Y | | N | | | |
| <i>Hemoglobin A1c (HbA1c) Testing</i> | | | | 83.30% | R | Reportable |

| | | | | | | |
|--|---|---|--|--------|----|------------------------------|
| <i>HbA1c Poor Control (>9.0%)</i> | | | | 51.22% | R | Reportable |
| <i>HbA1c Control (<8.0%)</i> | | | | 40.09% | R | Reportable |
| <i>HbA1c Control (<7.0%)</i> | | | | NR | NR | Plan chose not to report |
| <i>Eye Exam (Retinal) Performed</i> | | | | 60.13% | R | Reportable |
| <i>LDL-C Screening Performed</i> | | | | 72.38% | R | Reportable |
| <i>LDL-C Control (<100 mg/dL)</i> | | | | 32.07% | R | Reportable |
| <i>Medical Attention for Nephropathy</i> | | | | 74.39% | R | Reportable |
| <i>Blood Pressure Control (<140/80 mm Hg)</i> | | | | 37.86% | R | Reportable |
| <i>Blood Pressure Control (<140/90 mm Hg)</i> | | | | 55.23% | R | Reportable |
| Effectiveness of Care: Musculoskeletal | | | | | | |
| Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art) | Y | Y | | 84.93% | R | Reportable |
| Use of Imaging Studies for Low Back Pain (lbp) | Y | | | 78.61% | R | Reportable |
| Effectiveness of Care: Behavioral Health | | | | | | |
| Antidepressant Medication Management (amm) | Y | N | | | | |
| <i>Effective Acute Phase Treatment</i> | | | | NB | R | Required benefit not offered |
| <i>Effective Continuation Phase Treatment</i> | | | | NB | R | Required benefit not offered |
| Follow-Up Care for Children Prescribed ADHD Medication (add) | Y | Y | | | | |
| <i>Initiation Phase</i> | | | | 36.98% | R | Reportable |
| <i>Continuation and Maintenance (C&M) Phase</i> | | | | 45.61% | R | Reportable |
| Follow-Up After Hospitalization for Mental Illness (fuh) | Y | N | | | | |
| <i>30-Day Follow-Up</i> | | | | NB | R | Required benefit not offered |
| <i>7-Day Follow-Up</i> | | | | NB | R | Required benefit not offered |
| Effectiveness of Care: Medication Management | | | | | | |
| Annual Monitoring for Patients on Persistent Medications (mpm) | Y | Y | | | | |
| <i>ACE Inhibitors or ARBs</i> | | | | 88.63% | R | Reportable |
| <i>Digoxin</i> | | | | NA | R | Denominator fewer than 30 |
| <i>Diuretics</i> | | | | 87.27% | R | Reportable |
| <i>Anticonvulsants</i> | | | | 70.64% | R | Reportable |
| <i>Total</i> | | | | 85.53% | R | Reportable |
| Access/Availability of Care | | | | | | |

| | | | | | | |
|---|---|---|--|--------|---|------------------------------|
| Adults' Access to Preventive/Ambulatory Health Services (aap) | Y | | | | | |
| 20-44 Years | | | | 84.08% | R | Reportable |
| 45-64 Years | | | | 86.86% | R | Reportable |
| 65+ Years | | | | 85.61% | R | Reportable |
| Total | | | | 84.86% | R | Reportable |
| Children and Adolescents' Access to Primary Care Practitioners (cap) | Y | | | | | |
| 12-24 Months | | | | 97.64% | R | Reportable |
| 25 Months - 6 Years | | | | 87.95% | R | Reportable |
| 7-11 Years | | | | 92.05% | R | Reportable |
| 12-19 Years | | | | 91.77% | R | Reportable |
| Annual Dental Visit (adv) | Y | Y | | | | |
| 2-3 Years | | | | 48.23% | R | Reportable |
| 4-6 Years | | | | 72.07% | R | Reportable |
| 7-10 Years | | | | 76.43% | R | Reportable |
| 11-14 Years | | | | 70.53% | R | Reportable |
| 15-18 Years | | | | 58.77% | R | Reportable |
| 19-21 Years | | | | 41.40% | R | Reportable |
| Total | | | | 66.31% | R | Reportable |
| Initiation and Engagement of AOD Dependence Treatment (iet) | Y | N | | | | |
| Initiation of AOD Treatment: 13-17 Years | | | | NB | R | Required benefit not offered |
| Engagement of AOD Treatment: 13-17 Years | | | | NB | R | Required benefit not offered |
| Initiation of AOD Treatment: 18+ Years | | | | NB | R | Required benefit not offered |
| Engagement of AOD Treatment: 18+ Years | | | | NB | R | Required benefit not offered |
| Initiation of AOD Treatment: Total | | | | NB | R | Required benefit not offered |
| Engagement of AOD Treatment: Total | | | | NB | R | Required benefit not offered |
| Prenatal and Postpartum Care (ppc) | Y | | | | | |
| Timeliness of Prenatal Care | | | | 82.37% | R | Reportable |
| Postpartum Care | | | | 60.49% | R | Reportable |
| Call Answer Timeliness (cat) | Y | | | 95.45% | R | Reportable |
| Call Abandonment (cab) | Y | | | 1.63% | R | Reportable |
| Use of Services | | | | | | |
| Frequency of Ongoing Prenatal Care (fpc) | Y | | | | | |
| <21 Percent | | | | 8.26% | R | Reportable |

| | | | | | | |
|--|---|---|---|--------|----|------------------------------|
| 21-40 Percent | | | | 4.91% | R | Reportable |
| 41-60 Percent | | | | 6.25% | R | Reportable |
| 61-80 Percent | | | | 11.83% | R | Reportable |
| 81+ Percent | | | | 68.75% | R | Reportable |
| Well-Child Visits in the First 15 Months of Life (w15) | Y | | N | | | |
| 0 Visits | | | | 1.10% | R | Reportable |
| 1 Visit | | | | 0.88% | R | Reportable |
| 2 Visits | | | | 1.55% | R | Reportable |
| 3 Visits | | | | 5.08% | R | Reportable |
| 4 Visits | | | | 9.49% | R | Reportable |
| 5 Visits | | | | 15.01% | R | Reportable |
| 6+ Visits | | | | 66.89% | R | Reportable |
| Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34) | Y | | N | 65.78% | R | Reportable |
| Adolescent Well-Care Visits (awc) | Y | | N | 54.53% | R | Reportable |
| Frequency of Selected Procedures (fsp) | Y | | | | R | Reportable |
| Ambulatory Care: Total (amba) | Y | | | | R | Reportable |
| Ambulatory Care: Dual Eligibles (ambb) | N | | | | NR | |
| Ambulatory Care: Disabled (ambc) | N | | | | NR | |
| Ambulatory Care: Other (ambd) | N | | | | NR | |
| Inpatient Utilization--General Hospital/Acute Care: Total (ipua) | Y | | | | R | Reportable |
| Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub) | N | | | | NR | |
| Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc) | N | | | | NR | |
| Inpatient Utilization--General Hospital/Acute Care: Other (ipud) | N | | | | NR | |
| Identification of Alcohol and Other Drug Services: Total (iada) | Y | N | | | R | Required benefit not offered |
| Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb) | N | N | | | NR | |
| Identification of Alcohol and Other Drug Services: Disabled (iadc) | N | N | | | NR | |

| | | | | | | |
|--|---|---|--|----------|----|------------------------------|
| Identification of Alcohol and Other Drug Services: Other (iadd) | N | N | | | NR | |
| Mental Health Utilization: Total (mpta) | Y | N | | | R | Required benefit not offered |
| Mental Health Utilization: Dual Eligibles (mptb) | N | N | | | NR | |
| Mental Health Utilization: Disabled (mptc) | N | N | | | NR | |
| Mental Health Utilization: Other (mptd) | N | N | | | NR | |
| Antibiotic Utilization: Total (abxa) | Y | Y | | | R | Reportable |
| Antibiotic Utilization: Dual Eligibles (abxb) | N | N | | | NR | |
| Antibiotic Utilization: Disabled (abxc) | N | N | | | NR | |
| Antibiotic Utilization: Other (abxd) | N | N | | | NR | |
| Cost of Care | | | | | | |
| Relative Resource Use for People With Diabetes (rdi) | Y | | | | | |
| <i>Inpatient Facility: Per Member Per Month</i> | | | | \$292.04 | R | Reportable |
| <i>E & M Inpatient: Per Member Per Month</i> | | | | \$13.34 | R | Reportable |
| <i>E & M Outpatient: Per Member Per Month</i> | | | | \$75.24 | R | Reportable |
| <i>Surgery Inpatient: Per Member Per Month</i> | | | | \$10.67 | R | Reportable |
| <i>Surgery Outpatient: Per Member Per Month</i> | | | | \$38.98 | R | Reportable |
| <i>Pharmacy: Per Member Per Month</i> | | | | \$219.72 | R | Reportable |
| <i>Inpatient Facility Discharges per 1,000 Member Years</i> | | | | 325.09 | R | Reportable |
| <i>ED Visits per 1,000 Member Years</i> | | | | 1,154.66 | R | Reportable |
| Relative Resource Use for People With Asthma (ras) | Y | Y | | | | |
| <i>Inpatient Facility: Per Member Per Month</i> | | | | \$48.51 | R | Reportable |
| <i>E & M Inpatient: Per Member Per Month</i> | | | | \$2.77 | R | Reportable |
| <i>E & M Outpatient: Per Member Per Month</i> | | | | \$47.51 | R | Reportable |
| <i>Surgery Inpatient: Per Member Per Month</i> | | | | \$1.40 | R | Reportable |
| <i>Surgery Outpatient: Per Member Per Month</i> | | | | \$8.25 | R | Reportable |
| <i>Pharmacy: Per Member Per Month</i> | | | | \$119.17 | R | Reportable |
| <i>Inpatient Facility Discharges per 1,000 Member Years</i> | | | | 94.91 | R | Reportable |
| <i>ED Visits per 1,000 Member Years</i> | | | | 888.73 | R | Reportable |
| Relative Resource Use for People With Acute Low Back Pain (rlb) | Y | | | | | |
| <i>Inpatient Facility: Per Member Per Month</i> | | | | \$26.41 | R | Reportable |

| | | | | | | |
|--|---|--|--|----------|---|------------|
| <i>E & M Inpatient: Per Member Per Month</i> | | | | \$0.00 | R | Reportable |
| <i>E & M Outpatient: Per Member Per Month</i> | | | | \$55.64 | R | Reportable |
| <i>Surgery Inpatient: Per Member Per Month</i> | | | | \$0.00 | R | Reportable |
| <i>Surgery Outpatient: Per Member Per Month</i> | | | | \$2.15 | R | Reportable |
| <i>Pharmacy: Per Member Per Month</i> | | | | \$30.36 | R | Reportable |
| <i>Inpatient Facility Discharges per 1,000 Member Years</i> | | | | 17.86 | R | Reportable |
| <i>ED Visits per 1,000 Member Years</i> | | | | 1,517.86 | R | Reportable |
| <i>MRIs per 1,000 Member Years</i> | | | | 125.00 | R | Reportable |
| Relative Resource Use for People With Cardiovascular Conditions (rca) | Y | | | | | |
| <i>Inpatient Facility: Per Member Per Month</i> | | | | \$501.92 | R | Reportable |
| <i>E & M Inpatient: Per Member Per Month</i> | | | | \$22.63 | R | Reportable |
| <i>E & M Outpatient: Per Member Per Month</i> | | | | \$87.00 | R | Reportable |
| <i>Surgery Inpatient: Per Member Per Month</i> | | | | \$17.99 | R | Reportable |
| <i>Surgery Outpatient: Per Member Per Month</i> | | | | \$48.33 | R | Reportable |
| <i>Pharmacy: Per Member Per Month</i> | | | | \$303.66 | R | Reportable |
| <i>Inpatient Facility Discharges per 1,000 Member Years</i> | | | | 474.38 | R | Reportable |
| <i>ED Visits per 1,000 Member Years</i> | | | | 1,142.02 | R | Reportable |
| Relative Resource Use for People With Hypertension (rhy) | Y | | | | | |
| <i>Inpatient Facility: Per Member Per Month</i> | | | | \$94.77 | R | Reportable |
| <i>E & M Inpatient: Per Member Per Month</i> | | | | \$3.58 | R | Reportable |
| <i>E & M Outpatient: Per Member Per Month</i> | | | | \$65.09 | R | Reportable |
| <i>Surgery Inpatient: Per Member Per Month</i> | | | | \$7.84 | R | Reportable |
| <i>Surgery Outpatient: Per Member Per Month</i> | | | | \$32.49 | R | Reportable |
| <i>Pharmacy: Per Member Per Month</i> | | | | \$102.07 | R | Reportable |
| <i>Inpatient Facility Discharges per 1,000 Member Years</i> | | | | 82.42 | R | Reportable |
| <i>ED Visits per 1,000 Member Years</i> | | | | 875.72 | R | Reportable |
| Relative Resource Use for People With COPD (rco) | Y | | | | | |
| <i>Inpatient Facility: Per Member Per Month</i> | | | | \$564.88 | R | Reportable |
| <i>E & M Inpatient: Per Member Per Month</i> | | | | \$25.89 | R | Reportable |
| <i>E & M Outpatient: Per Member Per Month</i> | | | | \$88.84 | R | Reportable |

| | | | | | | |
|--|---|--|--|----------|----|--------------------------|
| <i>Surgery Inpatient: Per Member Per Month</i> | | | | \$23.78 | R | Reportable |
| <i>Surgery Outpatient: Per Member Per Month</i> | | | | \$50.65 | R | Reportable |
| <i>Pharmacy: Per Member Per Month</i> | | | | \$288.02 | R | Reportable |
| <i>Inpatient Facility Discharges per 1,000 Member Years</i> | | | | 550.86 | R | Reportable |
| <i>ED Visits per 1,000 Member Years</i> | | | | 1,536.98 | R | Reportable |
| Health Plan Descriptive Information | | | | | | |
| Board Certification (bcr) | Y | | | | NR | Plan chose not to report |
| Enrollment by Product Line: Total (enpa) | Y | | | | R | Reportable |
| Enrollment by Product Line: Dual Eligibles (enpb) | N | | | | NR | |
| Enrollment by Product Line: Disabled (enpc) | N | | | | NR | |
| Enrollment by Product Line: Other (enpd) | N | | | | NR | |
| Enrollment by State (ebs) | Y | | | | R | Reportable |
| Race/Ethnicity Diversity of Membership (rdm) | Y | | | | R | Reportable |
| Language Diversity of Membership (ldm) | Y | | | | R | Reportable |
| Weeks of Pregnancy at Time of Enrollment in MCO (wop) | Y | | | | R | Reportable |
| Health Plan Stability | | | | | | |
| Total Membership (t1m) | Y | | | | R | Reportable |