

HEDIS 2012 Medicaid

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2011						
The Auditor lock has been applied to this submission.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Effectiveness of Care: Prevention and Screening						
Adult BMI Assessment (aba)	N			NR	NR	Measure Unselected
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc)	N					
<i>BMI Percentile</i>				NR	NR	Measure Unselected
<i>Counseling for Nutrition</i>				NR	NR	Measure Unselected
<i>Counseling for Physical Activity</i>				NR	NR	Measure Unselected
Childhood Immunization Status (cis)	Y					
<i>DTaP</i>				80.35%	R	Reportable
<i>IPV</i>				90.51%	R	Reportable
<i>MMR</i>				90.29%	R	Reportable
<i>HiB</i>				90.73%	R	Reportable
<i>Hepatitis B</i>				88.74%	R	Reportable
<i>VZV</i>				89.62%	R	Reportable
<i>Pneumococcal Conjugate</i>				80.13%	R	Reportable
<i>Hepatitis A</i>				45.70%	R	Reportable
<i>Rotavirus</i>				79.47%	R	Reportable
<i>Influenza</i>				47.68%	R	Reportable
<i>Combination #2</i>				75.28%	R	Reportable
<i>Combination #3</i>				71.74%	R	Reportable
<i>Combination #4</i>				40.18%	R	Reportable
<i>Combination #5</i>				64.90%	R	Reportable
<i>Combination #6</i>				40.84%	R	Reportable
<i>Combination #7</i>				37.75%	R	Reportable
<i>Combination #8</i>				23.40%	R	Reportable
<i>Combination #9</i>				38.63%	R	Reportable
<i>Combination #10</i>				22.96%	R	Reportable
Immunizations for Adolescents (ima)	Y					
<i>Meningococcal</i>				47.07%	R	Reportable
<i>Tdap/Td</i>				67.92%	R	Reportable
<i>Combination #1</i>				43.79%	R	Reportable
Human Papillomavirus Vaccine for Female Adolescents (hpv)	Y			6.61%	R	Reportable

HEDIS 2012 Medicaid

Lead Screening in Children (lsc)	Y			29.93%	R	Reportable
Breast Cancer Screening (bcs)	Y			50.79%	R	Reportable
Cervical Cancer Screening (ccs)	Y		N	61.20%	R	Reportable
Chlamydia Screening in Women (chl)	Y					
16-20 Years				44.39%	R	Reportable
21-24 Years				58.15%	R	Reportable
Total				49.78%	R	Reportable
Effectiveness of Care: Respiratory Conditions						
Appropriate Testing for Children with Pharyngitis (cwp)	Y	Y		65.44%	R	Reportable
Appropriate Treatment for Children With URI (uri)	Y	Y		82.54%	R	Reportable
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)	Y	Y		16.90%	R	Reportable
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)	Y			NA	R	Denominator fewer than 30
Pharmacotherapy Management of COPD Exacerbation (pce)	Y	Y				
Systemic Corticosteroid				NA	R	Denominator fewer than 30
Bronchodilator				NA	R	Denominator fewer than 30
Use of Appropriate Medications for People With Asthma (asm)	Y	Y				
5-11 Years				96.88%	R	Reportable
12-18 Years				80.49%	R	Reportable
19-50 Years				NA	R	Denominator fewer than 30
51-64 Years				NA	R	Denominator fewer than 30
Total				87.69%	R	Reportable
Medication Management for People With Asthma (mma)	Y	Y				
5-11 Years - Medication Compliance 50%				41.94%	R	Reportable
5-11 Years - Medication Compliance 75%				22.58%	R	Reportable
12-18 Years - Medication Compliance 50%				27.27%	R	Reportable
12-18 Years - Medication Compliance 75%				3.03%	R	Reportable
19-50 Years - Medication Compliance 50%				NA	R	Denominator fewer than 30
19-50 Years - Medication Compliance 75%				NA	R	Denominator fewer than 30
51-64 Years - Medication Compliance 50%				NA	R	Denominator fewer than 30
51-64 Years - Medication Compliance 75%				NA	R	Denominator fewer than 30
Total - Medication Compliance 50%				39.47%	R	Reportable
Total - Medication Compliance 75%				21.05%	R	Reportable

HEDIS 2012 Medicaid

Effectiveness of Care: Cardiovascular						
Cholesterol Management for Patients With Cardiovascular Conditions (cmc)	Y					
<i>LDL-C Screening Performed</i>				NA	R	Denominator fewer than 30
<i>LDL-C Control (<100 mg/dL)</i>				NA	R	Denominator fewer than 30
Controlling High Blood Pressure (cbp)	Y		N	57.62%	R	Reportable
Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)	Y	Y		NA	R	Denominator fewer than 30
Effectiveness of Care: Diabetes						
Comprehensive Diabetes Care (cdc)	Y					
<i>Hemoglobin A1c (HbA1c) Testing</i>				82.33%	R	Reportable
<i>HbA1c Poor Control (>9.0%)</i>				39.66%	R	Reportable
<i>HbA1c Control (<8.0%)</i>				45.69%	R	Reportable
<i>HbA1c Control (<7.0%)</i>				NR	NR	Plan chose not to report
<i>Eye Exam (Retinal) Performed</i>				53.88%	R	Reportable
<i>LDL-C Screening Performed</i>				72.41%	R	Reportable
<i>LDL-C Control (<100 mg/dL)</i>				39.22%	R	Reportable
<i>Medical Attention for Nephropathy</i>				76.29%	R	Reportable
<i>Blood Pressure Control (<140/80 mm Hg)</i>				46.55%	R	Reportable
<i>Blood Pressure Control (<140/90 mm Hg)</i>				65.09%	R	Reportable
Effectiveness of Care: Musculoskeletal						
Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art)	Y	Y		NA	R	Denominator fewer than 30
Use of Imaging Studies for Low Back Pain (lbp)	Y			77.94%	R	Reportable
Effectiveness of Care: Behavioral Health						
Antidepressant Medication Management (amm)	N	N				
<i>Effective Acute Phase Treatment</i>				NR	NR	Measure Unselected
<i>Effective Continuation Phase Treatment</i>				NR	NR	Measure Unselected
Follow-Up Care for Children Prescribed ADHD Medication (add)	Y	Y				
<i>Initiation Phase</i>				36.84%	R	Reportable
<i>Continuation and Maintenance (C&M) Phase</i>				NA	R	Denominator fewer than 30
Follow-Up After Hospitalization for Mental Illness (fuh)	N	N				
<i>30-Day Follow-Up</i>				NR	NR	Measure Unselected
<i>7-Day Follow-Up</i>				NR	NR	Measure Unselected

HEDIS 2012 Medicaid

Effectiveness of Care: Medication Management						
Annual Monitoring for Patients on Persistent Medications (mpm)	Y	Y				
<i>ACE Inhibitors or ARBs</i>				89.62%	R	Reportable
<i>Digoxin</i>				NA	R	Denominator fewer than 30
<i>Diuretics</i>				90.09%	R	Reportable
<i>Anticonvulsants</i>				NA	R	Denominator fewer than 30
<i>Total</i>				87.73%	R	Reportable
Access/Availability of Care						
Adults' Access to Preventive/Ambulatory Health Services (aap)	Y					
<i>20-44 Years</i>				79.51%	R	Reportable
<i>45-64 Years</i>				84.82%	R	Reportable
<i>65+ Years</i>				NA	R	Denominator fewer than 30
<i>Total</i>				80.84%	R	Reportable
Children and Adolescents' Access to Primary Care Practitioners (cap)	Y					
<i>12-24 Months</i>				97.40%	R	Reportable
<i>25 Months - 6 Years</i>				85.24%	R	Reportable
<i>7-11 Years</i>				83.77%	R	Reportable
<i>12-19 Years</i>				84.79%	R	Reportable
Annual Dental Visit (adv)	Y	Y				
<i>2-3 Years</i>				49.08%	R	Reportable
<i>4-6 Years</i>				66.60%	R	Reportable
<i>7-10 Years</i>				73.11%	R	Reportable
<i>11-14 Years</i>				64.19%	R	Reportable
<i>15-18 Years</i>				56.85%	R	Reportable
<i>19-21 Years</i>				34.91%	R	Reportable
<i>Total</i>				61.70%	R	Reportable
Initiation and Engagement of AOD Dependence Treatment (iet)	N	N				
<i>Initiation of AOD Treatment: 13-17 Years</i>				NR	NR	Measure Unselected
<i>Engagement of AOD Treatment: 13-17 Years</i>				NR	NR	Measure Unselected
<i>Initiation of AOD Treatment: 18+ Years</i>				NR	NR	Measure Unselected
<i>Engagement of AOD Treatment: 18+ Years</i>				NR	NR	Measure Unselected
<i>Initiation of AOD Treatment: Total</i>				NR	NR	Measure Unselected
<i>Engagement of AOD Treatment: Total</i>				NR	NR	Measure Unselected

HEDIS 2012 Medicaid

Prenatal and Postpartum Care (ppc)	Y		N			
<i>Timeliness of Prenatal Care</i>				87.67%	R	Reportable
<i>Postpartum Care</i>				67.71%	R	Reportable
Call Answer Timeliness (cat)	Y			89.62%	R	Reportable
Call Abandonment (cab)	Y			1.06%	R	Reportable
Utilization						
Frequency of Ongoing Prenatal Care (fpc)	Y		N			
<i><21 Percent</i>				8.07%	R	Reportable
<i>21-40 Percent</i>				3.81%	R	Reportable
<i>41-60 Percent</i>				7.62%	R	Reportable
<i>61-80 Percent</i>				14.80%	R	Reportable
<i>81+ Percent</i>				65.70%	R	Reportable
Well-Child Visits in the First 15 Months of Life (w15)	Y					
<i>0 Visits</i>				1.55%	R	Reportable
<i>1 Visit</i>				0.66%	R	Reportable
<i>2 Visits</i>				1.77%	R	Reportable
<i>3 Visits</i>				3.98%	R	Reportable
<i>4 Visits</i>				8.19%	R	Reportable
<i>5 Visits</i>				20.80%	R	Reportable
<i>6+ Visits</i>				63.05%	R	Reportable
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)	Y			56.07%	R	Reportable
Adolescent Well-Care Visits (awc)	Y			34.43%	R	Reportable
Frequency of Selected Procedures (fsp)	Y				R	Reportable
Ambulatory Care: Total (amba)	Y				R	Reportable
Ambulatory Care: Dual Eligibles (ambb)	Y				R	Reportable
Ambulatory Care: Disabled (ambc)	Y				R	Reportable
Ambulatory Care: Other (ambd)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Total (ipua)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Other (ipud)	Y				R	Reportable

HEDIS 2012

Medicaid

Identification of Alcohol and Other Drug Services: Total (iada)	N	N			NR	Measure Unselected
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	N	N			NR	Measure Unselected
Identification of Alcohol and Other Drug Services: Disabled (iadc)	N	N			NR	Measure Unselected
Identification of Alcohol and Other Drug Services: Other (iadd)	N	N			NR	Measure Unselected
Mental Health Utilization: Total (mpta)	N	N			NR	Measure Unselected
Mental Health Utilization: Dual Eligibles (mptb)	N	N			NR	Measure Unselected
Mental Health Utilization: Disabled (mptc)	N	N			NR	Measure Unselected
Mental Health Utilization: Other (mptd)	N	N			NR	Measure Unselected
Antibiotic Utilization: Total (abxa)	Y	Y			R	Reportable
Antibiotic Utilization: Dual Eligibles (abxb)	Y	Y			R	Reportable
Antibiotic Utilization: Disabled (abxc)	Y	Y			R	Reportable
Antibiotic Utilization: Other (abxd)	Y	Y			R	Reportable
Relative Resource Use						
Relative Resource Use for People With Diabetes (rdi)	Y				R	Reportable
Relative Resource Use for People With Asthma (ras)	Y	Y			R	Reportable
Relative Resource Use for People With Cardiovascular Conditions (rca)	Y				R	Reportable
Relative Resource Use for People With Hypertension (rhy)	Y				R	Reportable
Relative Resource Use for People With COPD (rco)	Y				R	Reportable
Health Plan Descriptive Information						
Board Certification (bcr)	N				NR	Measure Unselected
Total Membership (t1m)	Y				R	Reportable
Enrollment by Product Line: Total (enpa)	Y				R	Reportable
Enrollment by Product Line: Dual Eligibles (enpb)	N				NR	Measure Unselected
Enrollment by Product Line: Disabled (enpc)	N				NR	Measure Unselected
Enrollment by Product Line: Other (enpd)	N				NR	Measure Unselected
Enrollment by State (ebs)	Y				R	Reportable
Race/Ethnicity Diversity of Membership (rdm)	N				NR	Measure Unselected
Language Diversity of Membership (ldm)	N				NR	Measure Unselected
Weeks of Pregnancy at Time of Enrollment in MCO (wop)	Y		N		R	Reportable