Audit Review Table				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, M	ledicaid, Spec Area: No	one, Spec Proj: N	None, Contract Number: None	·)
Measurement Year - 2016; Date & Timestamp - 6/19/2017 1	0:50:09 AM			
The Audito	or lock has been a	pplied to this	submission.	
Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
Effectiveness of Care: Prevention and				
Adult BMI Assessment (aba)		83.33%	R	Reportable
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc)				
BMI Percentile		62.04%	R	Reportable
Counseling for Nutrition		59.03%	R	Reportable
Counseling for Physical Activity		52.78%	R	Reportable
Childhood Immunization Status (cis)				
DTaP		71.53%	R	Reportable
IPV		82.64%	R	Reportable
MMR		85.65%	R	Reportable
HiB		82.64%	R	Reportable
Hepatitis B		77.08%	R	Reportable
VZV		84.49%	R	Reportable
Pneumococcal Conjugate		73.15%	R	Reportable
Hepatitis A		82.87%	R	Reportable
Rotavirus		67.36%	R	Reportable
Influenza		46.99%	R	Reportable
Combination #2		64.35%	R	Reportable
Combination #3		61.81%	R	Reportable
Combination #4		60.42%	R	Reportable
Combination #5		55.79%	R	Reportable
Combination #6		37.50%	R	Reportable
Combination #7		54.63%	R	Reportable
Combination #8		37.27%	R	Reportable
Combination #9		33.80%	R	Reportable
Combination #10		33.80%	R	Reportable

Audit Review Table				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, M	edicaid, Spec Area:	None, Spec Proj: No	ne, Contract Number:	None)
Measurement Year - 2016; Date & Timestamp - 6/19/2017 1	0:50:09 AM			
The Audito	or lock has been	applied to this su	ubmission.	
Immunizations for Adolescents (ima)				
Meningococcal		71.06%	R	Reportable
Tdap		83.33%	R	Reportable
HPV		24.07%	R	Reportable
Combination #1		69.91%	R	Reportable
Combination #2		22.45%	R	Reportable
Lead Screening in Children (Isc)		33.56%	R	Reportable
Breast Cancer Screening (bcs)		45.35%	R	Reportable
Cervical Cancer Screening (ccs)		57.21%	R	Reportable
Chlamydia Screening in Women (chl)				
16-20 Years		44.46%	R	Reportable
21-24 Years		55.84%	R	Reportable
Total		48.85%	R	Reportable
Effectiveness of Care: Respiratory				
Appropriate Testing for Children with Pharyngitis (cwp)	Y	67.41%	R	Reportable
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)		26.05%	R	Reportable
Pharmacotherapy Management of COPD Exacerbation (pce)	Y			
Systemic Corticosteroid		46.20%	R	Reportable
Bronchodilator		57.18%	R	Reportable

Audit Review Table				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None, Contract Number: None) /leasurement Year - 2016; Date & Timestamp - 6/19/2017 10:50:09 AM				
Medication Management for People With Asthma (mma)	Y			
5-11 Years: Medication Compliance 50%		50.75%	R	Reportable
5-11 Years: Medication Compliance 75%		26.88%	R	Reportable
12-18 Years: Medication Compliance 50%		47.41%	R	Reportable
12-18 Years: Medication Compliance 75%		26.48%	R	Reportable
19-50 Years: Medication Compliance 50%		59.50%	R	Reportable
19-50 Years: Medication Compliance 75%		34.11%	R	Reportable
51-64 Years: Medication Compliance 50%		66.67%	R	Reportable
51-64 Years: Medication Compliance 75%		39.29%	R	Reportable
Total: Medication Compliance 50%		52.92%	R	Reportable
Total: Medication Compliance 75%		29.35%	R	Reportable
Asthma Medication Ratio (amr)	Y			÷
5-11 Years		71.27%	R	Reportable
12-18 Years		54.77%	R	Reportable
19-50 Years		40.42%	R	Reportable
51-64 Years		48.26%	R	Reportable
Total		55.76%	R	Reportable
Effectiveness of Care: Cardiovascular				
Controlling High Blood Pressure (cbp)		48.43%	R	Reportable
Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)	Y	79.76%	R	Reportable
Statin Therapy for Patients With Cardiovascular	Y			
Disease (spc)	ř			
Received Statin Therapy: 21-75 Years (Male)		53.06%	R	Reportable
Statin Adherence 80%: 21-75 Years (Male)		63.46%	R	Reportable
Received Statin Therapy: 40-75 Years (Female)		51.63%	R	Reportable
Statin Adherence 80%: 40-75 Years (Female)		59.06%	R	Reportable
Received Statin Therapy: Total		52.41%	R	Reportable
Statin Adherence 80%: Total		61.48%	R	Reportable

Audit Review Table				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medi	caid, Spec Area	: None, Spec Proj: Non	e, Contract Number: N	one)
Measurement Year - 2016; Date & Timestamp - 6/19/2017 10:5	0:09 AM			
The Auditor	ock has beer	n applied to this sul	bmission.	
Effectiveness of Care: Diabetes				
Comprehensive Diabetes Care (cdc)				
Hemoglobin A1c (HbA1c) Testing		83.25%	R	Reportable
HbA1c Poor Control (>9.0%)		51.76%	R	Reportable
HbA1c Control (<8.0%)		40.54%	R	Reportable
HbA1c Control (<7.0%)		29.17%	R	Reportable
Eye Exam (Retinal) Performed		51.76%	R	Reportable
Medical Attention for Nephropathy		87.60%	R	Reportable
Blood Pressure Control (<140/90 mm Hg)		57.12%	R	Reportable
Statin Therapy for Patients With Diabetes (spd)	Y			
Received Statin Therapy		41.81%	R	Reportable
Statin Adherence 80%		54.83%	R	Reportable
Effectiveness of Care: Musculoskeletal				
Disease-Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art)	Y	64.43%	R	Reportable
Effectiveness of Care: Behavioral				
Antidepressant Medication Management (amm)	Y			
Effective Acute Phase Treatment		51.88%	R	Reportable
Effective Continuation Phase Treatment		35.55%	R	Reportable
Follow-Up Care for Children Prescribed ADHD Medication (add)	Y			
Initiation Phase		41.80%	R	Reportable
Continuation and Maintenance (C&M) Phase		54.41%	R	Reportable
Follow-Up After Hospitalization for Mental Illness (fuh)	Y			
30-Day Follow-Up		62.13%	R	Reportable
7-Day Follow-Up		38.35%	R	Reportable

Audit Review Table				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None, Contract Number: None) Measurement Year - 2016; Date & Timestamp - 6/19/2017 10:50:09 AM				
Follow-Up After Emergency Department Visit for Mental Illness (fum)	Y			
30-Day Follow-Up		68.60%	R	Reportable
7-Day Follow-Up		56.61%	R	Reportable
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence (fua)	Y			
30-Day Follow-Up: 13-17 Years		11.54%	R	Reportable
7-Day Follow-Up: 13-17 Years		7.69%	R	Reportable
30-Day Follow-Up: 18+ Years		16.78%	R	Reportable
7-Day Follow-Up: 18+ Years		10.54%	R	Reportable
30-Day Follow-Up: Total		16.47%	R	Reportable
7-Day Follow-Up: Total		10.37%	R	Reportable
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (ssd)	Y	79.02%	R	Reportable
Diabetes Monitoring for People With Diabetes and Schizophrenia (smd)		63.27%	R	Reportable
Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (smc)		75.00%	NA	Small Denominator
Adherence to Antipsychotic Medications for Individuals With Schizophrenia (saa)	Y	57.85%	R	Reportable
Metabolic Monitoring for Children and Adolescents on Antipsychotics (apm)	Y			
1-5 Years		25.00%	NA	Small Denominator
6-11 Years		30.77%	R	Reportable
12-17 Years		41.63%	R	Reportable
Total		37.56%	R	Reportable

Audit Review Table				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicai	d, Spec Area	: None, Spec Proj: Non	e, Contract Number:	None)
Measurement Year - 2016; Date & Timestamp - 6/19/2017 10:50:09				
The Auditor loc	k has beer	n applied to this sul	bmission.	
Effectiveness of Care: Medication				
Annual Monitoring for Patients on Persistent Medications (mpm)	Y			
ACE Inhibitors or ARBs		83.77%	R	Reportable
Digoxin		47.06%	R	Reportable
Diuretics		84.36%	R	Reportable
Total		83.83%	R	Reportable
Effectiveness of Care:				
Non-Recommended Cervical Cancer Screening in Adolescent Females (ncs)		1.30%	R	Reportable
Appropriate Treatment for Children With URI (uri)	Y	88.99%	R	Reportable
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)	Y	28.98%	R	Reportable
Use of Imaging Studies for Low Back Pain (Ibp)		72.30%	R	Reportable
Use of Multiple Concurrent Antipsychotics in Children and Adolescents (apc)	Y			
1-5 Years		0.00%	NA	Small Denominator
6-11 Years		5.33%	R	Reportable
12-17 Years		4.82%	R	Reportable
Total		4.95%	R	Reportable
Access/Availability of Care				
Adults' Access to Preventive/Ambulatory Health Services (aap)				
20-44 Years		76.48%	R	Reportable
45-64 Years		83.02%	R	Reportable
65+ Years		89.61%	R	Reportable
Total		78.83%	R	Reportable

Audit Review Table				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medic	aid, Spec Area:	None, Spec Proj: Nor	ne, Contract Number: I	None)
Measurement Year - 2016; Date & Timestamp - 6/19/2017 10:50:09 AM				
The Auditor Ic	ock has been	applied to this su	Ibmission.	
Children and Adolescents' Access to Primary Care				
Practitioners (cap)				
12-24 Months		88.93%	R	Reportable
25 Months - 6 Years		78.73%	R	Reportable
7-11 Years		82.21%	R	Reportable
12-19 Years		79.81%	R	Reportable
Annual Dental Visit (adv)	Y			
2-3 Years		57.00%	R	Reportable
4-6 Years		74.39%	R	Reportable
7-10 Years		77.11%	R	Reportable
11-14 Years		74.18%	R	Reportable
15-18 Years		63.95%	R	Reportable
19-20 Years		42.95%	R	Reportable
Total		69.00%	R	Reportable
Initiation and Engagement of AOD Dependence	Y			
Treatment (iet)	T			
Initiation of AOD Treatment: 13-17 Years		37.43%	R	Reportable
Engagement of AOD Treatment: 13-17 Years		15.23%	R	Reportable
Initiation of AOD Treatment: 18+ Years		36.73%	R	Reportable
Engagement of AOD Treatment: 18+ Years		13.99%	R	Reportable
Initiation of AOD Treatment: Total		36.78%	R	Reportable
Engagement of AOD Treatment: Total		14.08%	R	Reportable
Prenatal and Postpartum Care (ppc)				
Timeliness of Prenatal Care		79.86%	R	Reportable
Postpartum Care		59.48%	R	Reportable
Use of First-Line Psychosocial Care for Children and	Y			
Adolescents on Antipsychotics (app)	T			
1-5 Years		62.50%	NA	Small Denominator
6-11 Years		58.33%	R	Reportable
12-17 Years		56.78%	R	Reportable
Total		57.47%	R	Reportable

Audit Review Table				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spe	ec Area: None, Spec Proj: None	e, Contract Number: N	one)	
Measurement Year - 2016; Date & Timestamp - 6/19/2017 10:50:09 AM		,	,	
The Auditor lock ha	s been applied to this sub	omission.		
Utilization	••			
Frequency of Ongoing Prenatal Care (fpc)				
<21 Percent	11.24%	R	Reportable	
21-40 Percent	9.84%	R	Reportable	
41-60 Percent	7.49%	R	Reportable	
61-80 Percent	16.63%	R	Reportable	
81+ Percent	54.80%	R	Reportable	
Well-Child Visits in the First 15 Months of Life (w15)				
0 Visits	8.22%	R	Reportable	
1 Visit	4.02%	R	Reportable	
2 Visits	4.35%	R	Reportable	
3 Visits	5.85%	R	Reportable	
4 Visits	9.45%	R	Reportable	
5 Visits	15.86%	R	Reportable	
6+ Visits	52.24%	R	Reportable	
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)	55.59%	R	Reportable	
Adolescent Well-Care Visits (awc)	33.08%	R	Reportable	
Frequency of Selected Procedures (fsp)		R	Reportable	
Ambulatory Care: Total (amba)		R	Reportable	
Ambulatory Care: Dual Eligibles (ambb)		R	Reportable	
Ambulatory Care: Disabled (ambc)		R	Reportable	
Ambulatory Care: Other (ambd)		R	Reportable	
Inpatient UtilizationGeneral Hospital/Acute Care: Total (ipua)		R	Reportable	
Inpatient UtilizationGeneral Hospital/Acute Care: Dual Eligibles (ipub)		R	Reportable	
Inpatient UtilizationGeneral Hospital/Acute Care: Disabled (ipuc)		R	Reportable	
Inpatient UtilizationGeneral Hospital/Acute Care: Other (ipud)		R	Reportable	

Audit Review Table			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Med	dicaid, Spec Area: None, S	pec Proj: None, Contract Number: Nor	ie)
Measurement Year - 2016; Date & Timestamp - 6/19/2017 10:	50:09 AM		
The Auditor	lock has been applied	d to this submission.	
Identification of Alcohol and Other Drug Services: Total (iada)	Y	R	Reportable
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	Y	R	Reportable
Identification of Alcohol and Other Drug Services: Disabled (iadc)	Y	R	Reportable
Identification of Alcohol and Other Drug Services: Other (iadd)	Y	R	Reportable
Mental Health Utilization: Total (mpta)	Y	R	Reportable
Mental Health Utilization: Dual Eligibles (mptb)	Y	R	Reportable
Mental Health Utilization: Disabled (mptc)	Y	R	Reportable
Mental Health Utilization: Other (mptd)	Y	R	Reportable
Antibiotic Utilization: Total (abxa)	Y	R	Reportable
Antibiotic Utilization: Dual Eligibles (abxb)	Y	R	Reportable
Antibiotic Utilization: Disabled (abxc)	Y	R	Reportable
Antibiotic Utilization: Other (abxd)	Y	R	Reportable
Standardized Healthcare-Associated Infection Ratio (hai)		NR	Not Reported
Health Plan Descriptive			
Board Certification (bcr)		UN	Unaudited
Enrollment by Product Line: Total (enpa)		R	Reportable
Enrollment by Product Line: Dual Eligibles (enpb)		R	Reportable
Enrollment by Product Line: Disabled (enpc)		R	Reportable
Enrollment by Product Line: Other (enpd)		R	Reportable
Enrollment by State (ebs)		R	Reportable
Language Diversity of Membership (Idm)		R	Reportable
Race/Ethnicity Diversity of Membership (rdm)		R	Reportable
Total Membership (tlm)		R	Reportable

Audit Review Table			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, M	ledicaid, Spec Area: None, S	pec Proj: None, Contract Number: No	one)
Measurement Year - 2016; Date & Timestamp - 6/19/2017 1	0:50:09 AM		
The Audit	or lock has been applie	d to this submission.	
Measures Collected using Electronic			
Utilization of the PHQ-9 to Monitor Depression			
Symptoms			
for Adolescents and Adults (dms)			
Inclusion in ECDS: Total		NR	Not Reported
Utilization of PHQ-9: Total		NR	Not Reported
Depression and Remission or Response for Adolescents			
and Adults (drr)			
EDCS Coverage: Total		NR	Not Reported
Follow-up PHQ-9: Total		NR	Not Reported
Depression Remission: Total		NR	Not Reported
Depression Response: Total		NR	Not Reported