	12.02.51 DM			
Measurement Year - 2017; Date & Timestamp - 6/12/2018 12:02:54 PM The Auditor lock has been applied to this submission.				
Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
Effectiveness of Care: Prevention and				
Screening				D
Adult BMI Assessment (aba) Neight Assessment and Counseling for Nutrition and		79.56%	R	Reportable
Physical Activity for Children/Adolescents				
wcc)				
BMI Percentile		62.53%	R	Reportable
Counseling for Nutrition		54.26%	R	Reportable
Counseling for Physical Activity		47.93%	R	Reportable
Childhood Immunization Status (cis)				B (11)
DTaP		78.10%	R	Reportable
IPV MMR		90.02% 87.59%	R R	Reportable Reportable
HiB		87.83%	R	Reportable
Hepatitis B		87.59%	R	Reportable
VZV		86.86%	R	Reportable
Pneumococcal Conjugate		79.56%	R	Reportable
Hepatitis A		84.43%	R	Reportable
Rotavirus		76.40%	R	Reportable
Influenza		48.42%	R	Reportable
Combination #2		73.48%	R	Reportable
Combination #3		69.59%	R	Reportable
Combination #4		68.13%	R	Reportable
Combination #5		62.29%	R	Reportable
Combination #6		40.88%	R	Reportable
Combination #7 Combination #8		61.31% 40.39%	R R	Reportable
Combination #9		37.23%	R	Reportable Reportable
Combination #10		36.74%	R	Reportable
mmunizations for Adolescents (ima)		00.7 170		Roportabio
Meningococcal		66.91%	R	Reportable
Tdap		79.32%	R	Reportable
HPV		27.98%	R	Reportable
Combination #1		65.69%	R	Reportable
Combination #2		25.06%	R	Reportable
Lead Screening in Children (Isc)		39.17%	R	Reportable
Breast Cancer Screening (bcs)		41.93%	R	Reportable
Cervical Cancer Screening (ccs)		50.61%	R	Reportable
Chlamydia Screening in Women (chl)		40 700/	R	Banartabla
16-20 Years 21-24 Years		42.73% 53.94%	R	Reportable Reportable
Total		48.92%	R	Reportable
Effectiveness of Care: Respiratory Conditions		10.0270		Roportabio
		00.040/		B (11
Appropriate Testing for Children with Pharyngitis (cwp)	Y	69.31%	R	Reportable
Use of Spirometry Testing in the Assessment and			_	
		27.81%	R	Reportable
of COPD (spr) Pharmacotherapy Management of COPD Exacerbation				
(pce)	Y			
Systemic Corticosteroid		37.53%	R	Reportable
Bronchodilator		51.28%	R	Reportable
	Y			
5-11 Years: Medication Compliance 50%		54.87%	R	Reportable
5-11 Years: Medication Compliance 75%		26.84%	R	Reportable
12-18 Years: Medication Compliance 50%		39.91%	R	Reportable
12-18 Years: Medication Compliance 75%		16.51%	R	Reportable
19-50 Years: Medication Compliance 50%		50.51%	R	Reportable
19-50 Years: Medication Compliance 75% 51-64 Years: Medication Compliance 50%		27.29% 60.78%	R R	Reportable Reportable
51-64 Years: Medication Compliance 50% 51-64 Years: Medication Compliance 75%		37.75%	R	Reportable
Total: Medication Compliance 50%		51.52%	R	Reportable
Total: Medication Compliance 30%		27.00%	R	Reportable
Asthma Medication Ratio (amr)	Y			

	able	Audit Review Table
--	------	--------------------

Audit Review Table				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825,	SubID: 9522, Medicai	id, Spec Area: No	ne, Spec Proj: None, Cont	ract Number: None)
Measurement Year - 2017; Date & Timestamp - 6/12/2018	12:02:54 PM			
The	Auditor lock has been a	applied to this subn	nission.	
Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
12-18 Years		57.37%	R	Reportable
19-50 Years		41.54%	R	Reportable
51-64 Years		53.43%	R	Reportable
Total		54.53%	R	Reportable
Effectiveness of Care: Cardiovascular Conditions				
Controlling High Blood Pressure (cbp)		45.50%	R	Reportable
Persistence of Beta-Blocker Treatment After a Heart				•
Attack (pbh) Statin Therapy for Patients With Cardiovascular	Y	55.81%	R	Reportable
Disease (spc)	Y			
Received Statin Therapy: 21-75 Years (Male)		60.21%	R	Reportable
Statin Adherence 80%: 21-75 Years (Male)		51.74%	R	Reportable
Received Statin Therapy: 40-75 Years (Female)		46.58%	R	Reportable
		53.92%	R	
Statin Adherence 80%: 40-75 Years (Female)				Reportable
Received Statin Therapy: Total		55.24%	R	Reportable
Statin Adherence 80%: Total		52.41%	R	Reportable
ffectiveness of Care: Diabetes				
Comprehensive Diabetes Care (cdc)				
Hemoglobin A1c (HbA1c) Testing		82.00%	R	Reportable
HbA1c Poor Control (>9.0%)		50.36%	R	Reportable
HbA1c Control (<8 0%)		39.66%	R	Reportable
HbA1c Control (<7 0%)			NR	Not Reported
Eye Exam (Retinal) Performed		51.09%	R	Reportable
Medical Attention for Nephropathy		86.37%	R	Reportable
Blood Pressure Control (<140/90 mm Hg)		48.66%	R	Reportable
Statin Therapy for Patients With Diabetes (spd)	Y	40.0078	IX I	Reportable
	I	40 740/	B	Depertable
Received Statin Therapy		42.74%	R	Reportable
Statin Adherence 80%		44.67%	R	Reportable
ffectiveness of Care: Musculoskeletal Conditions				
Disease-Modifying Anti-Rheumatic Drug Therapy in	Y	61.75%	R	Reportable
Rheumatoid Arthritis (art)	·			
Effectiveness of Care: Behavioral Health				
Antidepressant Medication Management (amm)	Y			
Effective Acute Phase Treatment		47.81%	R	Reportable
Effective Continuation Phase Treatment		32.59%	R	Reportable
Follow-Up Care for Children Prescribed ADHD	Y			
Medication (add)	Ť			
Initiation Phase		47.28%	R	Reportable
Continuation and Maintenance (C&M) Phase		69.47%	R	Reportable
Follow-Up After Hospitalization for Mental Illness (fuh)	Y			·
30-Day Follow-Up		58.63%	R	Reportable
7-Day Follow-Up		37.41%	R	Reportable
		01.4170	IX I	Reportable
Follow-Up After Emergency Department Visit for Mental Illness (fum)	Y			
30-Day Follow-Up		55.76%	R	Reportable
7-Day Follow-Op		43.07%	R	Reportable
Follow-Up After Emergency Department Visit for		43.07%	71	
	Y			
Alcohol and Other Drug Abuse or Dependence (fua)		E 440/		Banartahla
30-Day Follow-Up: 13-17 Years		5.41%	R	Reportable
7-Day Follow-Up: 13-17 Years		0.00%	R	Reportable
30-Day Follow-Up: 18+ Years		18.46%	R	Reportable
7-Day Follow-Up: 18+ Years		10.30%	R	Reportable
30-Day Follow-Up: Total		18.27%	R	Reportable
7-Day Follow-Up: Total		10.15%	R	Reportable
Diabetes Screening for People With Schizophrenia or				
Bipolar Disorder Who Are Using Antipsychotic	Y	77.57%	R	Reportable
Medication (ssd)				
Diabetes Monitoring for People With Diabetes and Schizophrenia (smd)		39.64%	R	Reportable
Cardiovascular Monitoring for People With				
Cardiovascular		53.85%	NA	Small Denominator
Disease and Schizophrenia (smc)				
Adherence to Antipsychotic Medications for Individuals With Schizophrenia (saa)	Y	50.80%	R	Reportable

Blue Cross and Blue Shield of New Mexico (Org ID: 1825,		id, Spec Area: No	one, Spec Proj: None, Conti	ract number: None)
leasurement Year - 2017; Date & Timestamp - 6/12/2018	12:02:54 PM Auditor lock has been a	applied to this sub	mission	
Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
etabolic Monitoring for Children and Adolescents on		Huto	Addit Doorgination	Comment
Antipsychotics (apm)	Y			
1-5 Years		16.67%	NA	Small Denominator
6-11 Years		25.37%	R	Reportable
12-17 Years		29.19%	R	Reportable
Total		27.51%	R	Reportable
ffectiveness of Care: Medication Management				
nnual Monitoring for Patients on Persistent	Y			
Medications (mpm) ACE Inhibitors or ARBs		81.80%	R	Reportable
Diuretics		84.18%	R	Reportable
Total		82.66%	R	Reportable
ffectiveness of Care: Overuse/Appropriateness		02.0070	K	Reportable
on-Recommended Cervical Cancer Screening in				
dolescent		1.84%	R	Reportable
Females (ncs)				
ppropriate Treatment for Children With URI (uri)	Y	89.80%	R	Reportable
voidance of Antibiotic Treatment in Adults with Acute	Y	32.87%	R	Reportable
Bronchitis (aab)	'			
Ise of Imaging Studies for Low Back Pain (Ibp)		70.51%	R	Reportable
se of Multiple Concurrent Antipsychotics in Children	. I			
nd	Y			
Adolescents (apc) 1-5 Years		0.00%	NA	Small Denominator
6-11 Years		0.99%	R	Reportable
12-17 Years		4.17%	R	Reportable
Total		2.82%	R	Reportable
se of Opioids at High Dosage (uod)	Y	39.52	R	Reportable
Ise of Opioids From Multiple Providers (uop)	Y	39.32	K	Reportable
Multiple Prescribers	•	229.35	R	Reportable
Multiple Pharmacies		78.25	R	Reportable
Multiple Prescribers and Multiple Pharmacies		42.55	R	Reportable
ccess/Availability of Care		.2.00		roportable
dults' Access to Preventive/Ambulatory Health				
Services (aap)				
20-44 Years		70.44%	R	Reportable
45-64 Years		79.66%	R	Reportable
65+ Years		89.59%	R	Reportable
Total		74.67%	R	Reportable
hildren and Adolescents' Access to Primary Care				
Practitioners (cap)				
12-24 Months		94.93%	R	Reportable
25 Months - 6 Years		84.39%	R	Reportable
7-11 Years		86.38%	R	Reportable
12-19 Years		85.24%	R	Reportable
nnual Dental Visit (adv)	Y			
2-3 Years		55.57%	R	Reportable
4-6 Years		70.47%	R	Reportable
7-10 Years		72.41%	R	Reportable
11-14 Years		68.03%	R	Reportable
15-18 Years		58.96%	R	Reportable
19-20 Years		39.22%	R	Reportable
Total Itiation and Engagement of AOD Abuse or		64.38%	R	Reportable
ependence	Y			
Treatment (iet)	' I			
Icohol abuse or dependence: Initiation of AOD Treatment:		45.050/	E I	Describle
13-17 Years		45.65%	R	Reportable
Alcohol abuse or dependence: Engagement of AOD		19.57%	R	Reportable
Treatment: 13-17 Years Opioid abuse or dependence: Initiation of AOD Treatment:				
Opioid abuse or dependence: Initiation of AOD Treatment: 13-17 Years		66.67%	NA	Small Denominator
LISTIC YEARS				
Opioid abuse or dependence: Engagement of AOD				
Opioid abuse or dependence: Engagement of AOD Treatment: 13-17 Years Other drug abuse or dependence: Initiation of AOD		0.00%	NA	Small Denominator

Audit Review Table Blue Cross and Blue Shield of New Mexico (Org ID: 1825,	SubID: 9522. Medica	aid. Spec Area: No	ne. Spec Proi: None. Cont	ract Number: None)
Measurement Year - 2017; Date & Timestamp - 6/12/2018				nact Number: Noney
	Auditor lock has been			
Measure/Data Element Other drug abuse or dependence: Engagement of AOD	Benefit Offered	Rate	Audit Designation	Comment
Treatment: 13-17 Years		17.32%	R	Reportable
Total: Initiation of AOD Treatment: 13-17 Years		49.69%	R	Reportable
Total: Engagement of AOD Treatment: 13-17 Years		16.35%	R	Reportable
Icohol abuse or dependence: Initiation of AOD Treatment:		39.22%	R	Reportable
18+ Years Alcohol abuse or dependence: Engagement of AOD				·
Treatment: 18+ Years Opioid abuse or dependence: Initiation of AOD Treatment: 18-		13.42%	R	Reportable
18+ Years		46.59%	R	Reportable
Opioid abuse or dependence: Engagement of AOD Treatment: 18+ Years		25.50%	R	Reportable
Other drug abuse or dependence: Initiation of AOD Treatment: 18+ Years		39.25%	R	Reportable
Other drug abuse or dependence: Engagement of AOD Treatment: 18+ Years		11.29%	R	Reportable
Total: Initiation of AOD Treatment: 18+ Years		40.04%	R	Reportable
Total: Engagement of AOD Treatment: 18+ Years		15.51%	R	Reportable
Icohol abuse or dependence: Initiation of AOD Treatment: Total		39.31%	R	Reportable
Alcohol abuse or dependence: Engagement of AOD Treatment: Total		13.51%	R	Reportable
Opioid abuse or dependence: Initiation of AOD Treatment: Total Total		46.66%	R	Reportable
Opioid abuse or dependence: Engagement of AOD Treatment: Total		25.41%	R	Reportable
Other drug abuse or dependence: Initiation of AOD		39.95%	R	Reportable
Treatment: Total Other drug abuse or dependence: Engagement of ADD		11.59%	R	Reportable
Treatment: Total Total: Initiation of AOD Treatment: Total		40.27%	R	Reportable
Total: Engagement of AOD Treatment: Total		15.53%	R	Reportable
Prenatal and Postpartum Care (ppc)		10.0078	K	Reportable
Timeliness of Prenatal Care		78.59%	R	Reportable
Postpartum Care		61.07%	R	Reportable
lse of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (app)	Y			·
1-5 Years		33.33%	NA	Small Denominator
6-11 Years		52.46%	R	Reportable
12-17 Years		67.82%	R	Reportable
Total		60.93%	R	Reportable
Itilization				
Vell-Child Visits in the First 15 Months of Life (w15)				
0 Visits		4.51%	R	Reportable
1 Visit		3.09%	R	Reportable
2 Visits		3.52%	R	Reportable
3 Visits 4 Visits		4.77%	R R	Reportable Reportable
4 VISITS 5 Visits		9.15% 15.99%	R	Reportable
6+ Visits		58.97%	R	Reportable
Vell-Child Visits in the Third, Fourth, Fifth and Sixth		57.23%	R	Reportable
Years of Life (w34)				•
Adolescent Well-Care Visits (awc) Frequency of Selected Procedures (fsp)		33.35%	R R	Reportable Reportable
Ambulatory Care: Total (amba)			R	Reportable
Ambulatory Care: Dual Eligibles (ambb)			NR	Not Reported
Ambulatory Care: Disabled (ambc)			NR	Not Reported
mbulatory Care: Other (ambd)			NR	Not Reported
npatient UtilizationGeneral Hospital/Acute Care: Total (ipua)			R	Reportable
npatient UtilizationGeneral Hospital/Acute Care: Dual Eligibles (ipub)			NR	Not Reported
npatient UtilizationGeneral Hospital/Acute Care: Disabled (ipuc)			NR	Not Reported
npatient UtilizationGeneral Hospital/Acute Care: Other (ipud)			NR	Not Reported
dentification of Alcohol and Other Drug Services:	Y			

A	Review	Table
AUGIT	Review	Laple
7 .aa.		

Blue Cross and Blue Shield of New Mexico (Org ID: 1825,	SubID: 9522, Medicaid	, Spec Area: N	one, Spec Proj: None, Contra	ct Number: None)
Measurement Year - 2017; Date & Timestamp - 6/12/2018	2:02:54 PM			
The /	Auditor lock has been ap	plied to this sub	mission.	
Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
dentification of Alcohol and Other Drug Services: Dual	Y		NR	Not Reported
Eligibles (iadb)				Not Reported
dentification of Alcohol and Other Drug Services:	Y		NR	Not Reported
Disabled (iadc) dentification of Alcohol and Other Drug Services:			-	· ·
Other (iadd)	Y		NR	Not Reported
Mental Health Utilization: Total (mpta)	Y		R	Reportable
Mental Health Utilization: Dual Eligibles (mptb)	Ŷ		NR	Not Reported
Mental Health Utilization: Disabled (mptc)	Y		NR	Not Reported
Mental Health Utilization: Other (mptd)	Y		NR	Not Reported
Antibiotic Utilization: Total (abxa)	Y		R	Reportable
Antibiotic Utilization: Dual Eligibles (abxb)	Y		NR	Not Reported
Antibiotic Utilization: Disabled (abxc)	Y		NR	Not Reported
Antibiotic Utilization: Other (abxd)	Y		NR	Not Reported
Standardized Healthcare-Associated Infection Ratio			R	Reportable
hai)			n.	керонале
Risk Adjusted Utilization				
Plan All-Cause Readmissions (pcr)			R	Reportable
lealth Plan Descriptive Information				
Board Certification (bcr)			R	Reportable
Enrollment by Product Line: Total (enpa)			R	Reportable
Enrollment by Product Line: Dual Eligibles (enpb)			NR	Not Reported
Enrollment by Product Line: Disabled (enpc)			NR	Not Reported
Enrollment by Product Line: Other (enpd)			NR	Not Reported
Enrollment by State (ebs)			R	Reportable
anguage Diversity of Membership (Idm)			NR	Not Reported
Race/Ethnicity Diversity of Membership (rdm)			NR	Not Reported
Fotal Membership (tlm)			R	Reportable
Measures Collected using Electronic Clinical Data System	าร			
Depression Screening and Follow-Up for Adolescents				
and Adults (dsf) Depression Screening: Total Total			NR	Not Reported
Follow-up on Positive Screen: Total Total			NR	Not Reported
Utilization of the PHQ-9 to Monitor Depression			ואול	
Symptoms				
for Adolescents and Adults (dms)				
Utilization of PHQ-9: Total Total			NR	Not Reported
Depression and Remission or Response for				·
Adolescents and Adults (drr)				
Follow-up PHQ-9: Total Total			NR	Not Reported
Depression Remission: Total Total			NR	Not Reported
Depression Response: Total Total			NR	Not Reported
Jnhealthy Alcohol Use Screening and Follow-Up (asf)				
Alcohol Use Screening: Total Total			NR	Not Reported
Counseling or Other Follow-up Postive Screen: Total Total			NR	Not Reported