

Audit Review Table				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None, Contract Number: None)				
Measurement Year - 2018; Date & Timestamp - 6/13/2019 4:06:43 PM				
The Auditor lock has been applied to this submission.				
Measure/Data Element	Benefit Offered	Rate	Audit Designation	Comment
Effectiveness of Care: Prevention and				
Adult BMI Assessment (aba)		77.86%	R	Reportable
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc)				
<i>BMI Percentile</i>		46.23%	R	Reportable
<i>Counseling for Nutrition</i>		51.82%	R	Reportable
<i>Counseling for Physical Activity</i>		42.09%	R	Reportable
Childhood Immunization Status (cis)				
<i>DTaP</i>		75.67%	R	Reportable
<i>IPV</i>		88.56%	R	Reportable
<i>MMR</i>		89.78%	R	Reportable
<i>H1B</i>		84.43%	R	Reportable
<i>Hepatitis B</i>		89.05%	R	Reportable
<i>VZV</i>		89.54%	R	Reportable
<i>Pneumococcal Conjugate</i>		76.16%	R	Reportable
<i>Hepatitis A</i>		88.08%	R	Reportable
<i>Rotavirus</i>		71.05%	R	Reportable
<i>Influenza</i>		54.26%	R	Reportable
<i>Combination #2</i>		72.99%	R	Reportable
<i>Combination #3</i>		69.59%	R	Reportable
<i>Combination #4</i>		68.61%	R	Reportable
<i>Combination #5</i>		60.34%	R	Reportable
<i>Combination #6</i>		47.20%	R	Reportable
<i>Combination #7</i>		59.61%	R	Reportable
<i>Combination #8</i>		46.72%	R	Reportable
<i>Combination #9</i>		43.31%	R	Reportable
<i>Combination #10</i>		42.82%	R	Reportable
Immunizations for Adolescents (ima)				
<i>Meningococcal</i>		71.05%	R	Reportable
<i>Tdap</i>		82.24%	R	Reportable
<i>HPV</i>		35.28%	R	Reportable
<i>Combination #1</i>		69.34%	R	Reportable
<i>Combination #2</i>		32.60%	R	Reportable
Lead Screening in Children (lsc)		42.39%	R	Reportable
Breast Cancer Screening (bcs)		42.49%	R	Reportable
Cervical Cancer Screening (ccs)		51.82%	R	Reportable
Chlamydia Screening in Women (chl)				
<i>16-20 Years</i>		45.20%	R	Reportable
<i>21-24 Years</i>		53.31%	R	Reportable
<i>Total</i>		49.38%	R	Reportable
Effectiveness of Care: Respiratory				
Appropriate Testing for Children with Pharyngitis (cwp)	Y	75.18%	R	Reportable
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)		27.85%	R	Reportable
Pharmacotherapy Management of COPD Exacerbation (pce)	Y			
<i>Systemic Corticosteroid</i>		41.74%	R	Reportable
<i>Bronchodilator</i>		51.83%	R	Reportable
Medication Management for People With Asthma (mma)	Y			
<i>5-11 Years: Medication Compliance 50%</i>		54.25%	R	Reportable
<i>5-11 Years: Medication Compliance 75%</i>		26.14%	R	Reportable
<i>12-18 Years: Medication Compliance 50%</i>		49.17%	R	Reportable
<i>12-18 Years: Medication Compliance 75%</i>		26.52%	R	Reportable
<i>19-50 Years: Medication Compliance 50%</i>		63.57%	R	Reportable
<i>19-50 Years: Medication Compliance 75%</i>		37.82%	R	Reportable
<i>51-64 Years: Medication Compliance 50%</i>		68.28%	R	Reportable
<i>51-64 Years: Medication Compliance 75%</i>		52.69%	R	Reportable
<i>Total: Medication Compliance 50%</i>		59.42%	R	Reportable
<i>Total: Medication Compliance 75%</i>		35.24%	R	Reportable

Asthma Medication Ratio (amr)	Y			
5-11 Years		74.84%	R	Reportable
12-18 Years		60.63%	R	Reportable
19-50 Years		42.69%	R	Reportable
51-64 Years		49.82%	R	Reportable
Total		54.05%	R	Reportable
Effectiveness of Care: Cardiovascular				
Controlling High Blood Pressure (cbp)		48.66%	R	Reportable
Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)	Y	58.54%	R	Reportable
Statin Therapy for Patients With Cardiovascular Disease (spc)	Y			
Received Statin Therapy: 21-75 Years (Male)		69.41%	R	Reportable
Statin Adherence 80%: 21-75 Years (Male)		52.59%	R	Reportable
Received Statin Therapy: 40-75 Years (Female)		46.96%	R	Reportable
Statin Adherence 80%: 40-75 Years (Female)		50.93%	R	Reportable
Received Statin Therapy: Total		61.07%	R	Reportable
Statin Adherence 80%: Total		52.12%	R	Reportable
Effectiveness of Care: Diabetes				
Comprehensive Diabetes Care (cdc)				
Hemoglobin A1c (HbA1c) Testing		82.97%	R	Reportable
HbA1c Poor Control (>9.0%)		50.61%	R	Reportable
HbA1c Control (<8.0%)		39.90%	R	Reportable
HbA1c Control (<7.0%)			NR	Not Reported
Eye Exam (Retinal) Performed		53.77%	R	Reportable
Medical Attention for Nephropathy		88.56%	R	Reportable
Blood Pressure Control (<140/90 mm Hg)		55.72%	R	Reportable
Statin Therapy for Patients With Diabetes (spd)	Y			
Received Statin Therapy		43.92%	R	Reportable
Statin Adherence 80%		49.49%	R	Reportable
Effectiveness of Care: Musculoskeletal				
Disease-Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art)	Y	65.71%	R	Reportable
Effectiveness of Care: Behavioral				
Antidepressant Medication Management (amm)	Y			
Effective Acute Phase Treatment		49.12%	R	Reportable
Effective Continuation Phase Treatment		32.79%	R	Reportable
Follow-Up Care for Children Prescribed ADHD Medication (add)	Y			
Initiation Phase		49.32%	R	Reportable
Continuation and Maintenance (C&M) Phase		58.95%	R	Reportable
Follow-Up After Hospitalization for Mental Illness (fuh)	Y			
6-17 years - 30-Day Follow-Up		50.00%	R	Reportable
6-17 years - 7-Day Follow-Up		30.48%	R	Reportable
18-64 years - 30-Day Follow-Up		33.23%	R	Reportable
18-64 years - 7-Day Follow-Up		19.59%	R	Reportable
65+ years - 30-Day Follow-Up		33.33%	NA	Small Denominator
65+ years - 7-Day Follow-Up		27.78%	NA	Small Denominator
Total - 30-Day Follow-Up		35.80%	R	Reportable
Total - 7-Day Follow-Up		21.33%	R	Reportable
Follow-Up After Emergency Department Visit for Mental Illness (fum)	Y			
6-17 years - 30-Day Follow-Up		68.11%	R	Reportable
6-17 years - 7-Day Follow-Up		52.76%	R	Reportable
18-64 years - 30-Day Follow-Up		49.48%	R	Reportable
18-64 years - 7-Day Follow-Up		36.02%	R	Reportable
65+ years - 30-Day Follow-Up		18.18%	NA	Small Denominator
65+ years - 7-Day Follow-Up		9.09%	NA	Small Denominator
Total - 30-Day Follow-Up		52.80%	R	Reportable
Total - 7-Day Follow-Up		39.02%	R	Reportable
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (fua)	Y			
30-Day Follow-Up: 13-17 Years		4.00%	R	Reportable
7-Day Follow-Up: 13-17 Years		4.00%	R	Reportable
30-Day Follow-Up: 18+ Years		17.14%	R	Reportable
7-Day Follow-Up: 18+ Years		9.69%	R	Reportable
30-Day Follow-Up: Total		16.89%	R	Reportable
7-Day Follow-Up: Total		9.58%	R	Reportable

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (ssd)	Y	79.07%	R	Reportable
Diabetes Monitoring for People With Diabetes and Schizophrenia (smd)		47.67%	R	Reportable
Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (smc)		50.00%	NA	Small Denominator
Adherence to Antipsychotic Medications for Individuals With Schizophrenia (saa)	Y	51.16%	R	Reportable
Metabolic Monitoring for Children and Adolescents on Antipsychotics (apm)	Y			
1-5 Years		11.11%	NA	Small Denominator
6-11 Years		29.41%	R	Reportable
12-17 Years		37.50%	R	Reportable
Total		34.16%	R	Reportable
Effectiveness of Care: Medication				
Annual Monitoring for Patients on Persistent Medications (mpm)	Y			
ACE Inhibitors or ARBs		83.04%	R	Reportable
Diuretics		84.60%	R	Reportable
Total		83.62%	R	Reportable
Effectiveness of Care:				
Non-Recommended Cervical Cancer Screening in Adolescent Females (ncs)		0.99%	R	Reportable
Appropriate Treatment for Children With URI (uri)	Y	89.97%	R	Reportable
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)	Y	34.79%	R	Reportable
Use of Imaging Studies for Low Back Pain (lbp)		68.29%	R	Reportable
Use of Multiple Concurrent Antipsychotics in Children and Adolescents (apc)	Y			
1-5 Years		0.00%	NA	Small Denominator
6-11 Years		0.89%	R	Reportable
12-17 Years		2.12%	R	Reportable
Total		1.63%	R	Reportable
Use of Opioids at High Dosage (uod)	Y	3.52%	R	Reportable
Use of Opioids From Multiple Providers (uop)	Y			
Multiple Prescribers		20.08%	R	Reportable
Multiple Pharmacies		7.67%	R	Reportable
Multiple Prescribers and Multiple Pharmacies		3.64%	R	Reportable
Risk of Continued Opioid Use (cou)	Y			
18-64 years - >=15 Days covered		9.39%	R	Reportable
18-64 years - >=31 Days covered		4.12%	R	Reportable
65+ years - >=15 Days covered		31.82%	NA	Small Denominator
65+ years - >=31 Days covered		22.73%	NA	Small Denominator
Total - >=15 Days covered		9.44%	R	Reportable
Total - >=31 Days covered		4.15%	R	Reportable
Access/Availability of Care				
Adults' Access to Preventive/Ambulatory Health Services (aap)				
20-44 Years		71.71%	R	Reportable
45-64 Years		79.93%	R	Reportable
65+ Years		87.19%	R	Reportable
Total		75.44%	R	Reportable
Children and Adolescents' Access to Primary Care Practitioners (cap)				
12-24 Months		95.39%	R	Reportable
25 Months - 6 Years		86.87%	R	Reportable
7-11 Years		88.20%	R	Reportable
12-19 Years		86.82%	R	Reportable
Annual Dental Visit (adv)	Y			
2-3 Years		62.38%	R	Reportable
4-6 Years		73.07%	R	Reportable
7-10 Years		76.15%	R	Reportable
11-14 Years		70.95%	R	Reportable

15-18 Years		60.25%	R	Reportable
19-20 Years		41.98%	R	Reportable
Total		67.90%	R	Reportable
Initiation and Engagement of AOD Abuse or Dependence Treatment (iet)	Y			
Alcohol abuse or dependence: Initiation of AOD Treatment: 13-17 Years		53.70%	R	Reportable
Alcohol abuse or dependence: Engagement of AOD Treatment: 13-17 Years		9.26%	R	Reportable
Opioid abuse or dependence: Initiation of AOD Treatment: 13-17 Years		50.00%	NA	Small Denominator
Opioid abuse or dependence: Engagement of AOD Treatment: 13-17 Years		0.00%	NA	Small Denominator
Other drug abuse or dependence: Initiation of AOD Treatment: 13-17 Years		51.43%	R	Reportable
Other drug abuse or dependence: Engagement of AOD Treatment: 13-17 Years		16.43%	R	Reportable
Total: Initiation of AOD Treatment: 13-17 Years		47.46%	R	Reportable
Total: Engagement of AOD Treatment: 13-17 Years		15.25%	R	Reportable
Alcohol abuse or dependence: Initiation of AOD Treatment: 18+ Years		39.33%	R	Reportable
Alcohol abuse or dependence: Engagement of AOD Treatment: 18+ Years		12.80%	R	Reportable
Opioid abuse or dependence: Initiation of AOD Treatment: 18+ Years		53.20%	R	Reportable
Opioid abuse or dependence: Engagement of AOD Treatment: 18+ Years		28.01%	R	Reportable
Other drug abuse or dependence: Initiation of AOD Treatment: 18+ Years		39.77%	R	Reportable
Other drug abuse or dependence: Engagement of AOD Treatment: 18+ Years		10.83%	R	Reportable
Total: Initiation of AOD Treatment: 18+ Years		41.21%	R	Reportable
Total: Engagement of AOD Treatment: 18+ Years		15.32%	R	Reportable
Alcohol abuse or dependence: Initiation of AOD Treatment: Total		39.59%	R	Reportable
Alcohol abuse or dependence: Engagement of AOD Treatment: Total		12.74%	R	Reportable
Opioid abuse or dependence: Initiation of AOD Treatment: Total		53.18%	R	Reportable
Opioid abuse or dependence: Engagement of AOD Treatment: Total		27.86%	R	Reportable
Other drug abuse or dependence: Initiation of AOD Treatment: Total		40.38%	R	Reportable
Other drug abuse or dependence: Engagement of AOD Treatment: Total		11.12%	R	Reportable
Total: Initiation of AOD Treatment: Total		41.38%	R	Reportable
Total: Engagement of AOD Treatment: Total		15.32%	R	Reportable
Prenatal and Postpartum Care (ppc)				
Timeliness of Prenatal Care		80.78%	R	Reportable
Postpartum Care		63.50%	R	Reportable
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (app)	Y			
1-5 Years		83.33%	NA	Small Denominator
6-11 Years		50.94%	R	Reportable
12-17 Years		53.13%	R	Reportable
Total		53.55%	R	Reportable
Utilization				
Well-Child Visits in the First 15 Months of Life (w15)				
0 Visits		2.97%	R	Reportable
1 Visit		2.01%	R	Reportable
2 Visits		3.63%	R	Reportable
3 Visits		4.83%	R	Reportable
4 Visits		9.45%	R	Reportable
5 Visits		14.98%	R	Reportable
6+ Visits		62.14%	R	Reportable
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)		60.09%	R	Reportable
Adolescent Well-Care Visits (awc)		35.50%	R	Reportable
Frequency of Selected Procedures (fsp)			R	Reportable
Ambulatory Care: Total (amba)			R	Reportable

Ambulatory Care: Dual Eligibles (ambb)			NR	Not Reported
Ambulatory Care: Disabled (ambc)			NR	Not Reported
Ambulatory Care: Other (ambd)			NR	Not Reported
Inpatient Utilization--General Hospital/Acute Care: Total (ipua)			R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub)			NR	Not Reported
Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc)			NR	Not Reported
Inpatient Utilization--General Hospital/Acute Care: Other (ipud)			NR	Not Reported
Identification of Alcohol and Other Drug Services: Total (iada)	Y		R	Reportable
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	Y		NR	Not Reported
Identification of Alcohol and Other Drug Services: Disabled (iadc)	Y		NR	Not Reported
Identification of Alcohol and Other Drug Services: Other (iadd)	Y		NR	Not Reported
Mental Health Utilization: Total (mpta)	Y		R	Reportable
Mental Health Utilization: Dual Eligibles (mptb)	Y		NR	Not Reported
Mental Health Utilization: Disabled (mptc)	Y		NR	Not Reported
Mental Health Utilization: Other (mptd)	Y		NR	Not Reported
Antibiotic Utilization: Total (abxa)	Y		R	Reportable
Antibiotic Utilization: Dual Eligibles (abxb)	Y		NR	Not Reported
Antibiotic Utilization: Disabled (abxc)	Y		NR	Not Reported
Antibiotic Utilization: Other (abxd)	Y		NR	Not Reported
Risk Adjusted Utilization				
Plan All-Cause Readmissions (pcr)			R	Reportable
Health Plan Descriptive				
Board Certification (bcr)			UN	Unaudited
Enrollment by Product Line: Total (enpa)			R	Reportable
Enrollment by Product Line: Dual Eligibles (enpb)			NR	Not Reported
Enrollment by Product Line: Disabled (enpc)			NR	Not Reported
Enrollment by Product Line: Other (enpd)			NR	Not Reported
Enrollment by State (ebs)			R	Reportable
Language Diversity of Membership (ldm)			NR	Not Reported
Race/Ethnicity Diversity of Membership (rdm)			NR	Not Reported
Total Membership (t1m)			R	Reportable
Measures Collected using Electronic				
Depression Screening and Follow-Up for Adolescents and Adults (dsf)				
Depression Screening: Total Total			NR	Not Reported
Follow-up on Positive Screen: Total Total			NR	Not Reported
Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (dms)				
Utilization of PHQ-9 - Time period 1: Total Total			NR	Not Reported
Utilization of PHQ-9 - Time period 2: Total Total			NR	Not Reported
Utilization of PHQ-9 - Time period 3: Total Total			NR	Not Reported
Utilization of PHQ-9 - Total: Total Total			NR	Not Reported
Depression and Remission or Response for Adolescents and Adults (drr)				
Follow-up PHQ-9: Total Total			NR	Not Reported
Depression Remission: Total Total			NR	Not Reported
Depression Response: Total Total			NR	Not Reported
Unhealthy Alcohol Use Screening and Follow-Up (asf)				
Alcohol Use Screening: Total Total			NR	Not Reported
Counseling or Other Follow-up Postive Screen: Total Total			NR	Not Reported
Adult Immunization Status (ais)				
Influenza: Total			NR	Not Reported
Td or Tdap: Total			NR	Not Reported
Zoster: Total			NR	Not Reported
Composite: Total			NR	Not Reported
Prenatal Immunization Status (prs)				
Influenza: Total			NR	Not Reported
Td or Tdap: Total			NR	Not Reported

Combination: Total			NR	Not Reported
--------------------	--	--	----	--------------